

PERFECT LIFE
WITH **MAX-LIFE**

"YOUR OWN
ONE STOP
SOLUTION
**ALL SURGICAL
EQUIPMENT**"

ZOHRA
SURGICAL ENTERPRISES
IN PURSUIT OF EXCELLENCE QUALITY

AN ISO
CERTIFIED CO.



Comapany Profile

Zohra Surgical Enterprises has been serving the surgical industry since 1991. We have a wide range of Good quality products are required in the surgery of hospitals, nursing homes & medical institutions. By supplying Cardinal D analysis to surgical instruments such as vertical and horizontal autoclaves, suction machines, dressing drums, trays, instrument sterilization trays, kidney trays, bed pans and more products, we are committed to meet the requirements of our customers.

We at Zohra Surgical Enterprises believe in the quality of our products and facilitated our offer of an unmatched warranty on products manufactured by us. Our Mission is to safely and ethically manufacture, service, and supply surgical instruments for the public and private healthcare sector with continual quality improvement through our service and product. We treat our every customer on priority, their requirements and feedback are of most important to us. We also bring changes in our policies regularly, product line, and practices so as to be better and well serve the market requirements.

In more than 33 Years of our journey, we are committed to attaining our goals in giving time span without any complaints. With the team of experts and research personnel interaction with medical practitioners and keep deep knowledge and developments of the industry, we provide the best range of quality products appreciated by the clients and the market.

WHY CHOOSE US?

EXCELLENCE IN TECHNOLOGY

At Zohra Surgical Enterprises we are pledged to provide quality assured products and services as we are maintaining high levels of hygiene and end user's comfort. As catering most sensitive industry we offer complete satisfaction to our consumers.

EXCELLENCE IN MANUFACTURING

At Zohra Surgical Enterprises we are manufacture our range using the latest technology followed by intensive research and development we reduce the risks of Contamination from bacterial infections via stringent disinfection treatments for our products

OUR LEGACY OF 33 YEARS

We are passionately manufacturing high standard Surgical/Hospital instruments for the past 33 years. we have been serving the industry wit a wide range of products and are meeting the demands of our clients without any complaints.

Meet Our CEO

Daljeet Singh Bhatia is the visionary founder and CEO of Zohra Surgical Enterprises. We are passionately manufacturing high-standard Surgical/Hospital instruments for the past 33 years. We have been serving the industry with a wide range of products and are meeting the demands of our clients without any complaints. Daljeet Singh Bhatia has steered the company towards unprecedented growth and success. Their innovative leadership style and commitment to safely and ethically manufacture service, and supply surgical instruments for the public and private healthcare sector with continual quality improvement through our service and product. We treat our every customer on priority, their requirements and feedback are of most important to us. We have not only shaped the company's trajectory but have also made a significant impact on the Medical Industry as a whole. Under Daljeet Singh Bhatia's guidance, Zohra Surgical Enterprises continues to thrive as a dynamic force, driving innovation and excellence in MEDICAL industry.



FOUNDER & CEO

**DALJEET SINGH
BHATIA**

Manufacturing Unit



Zohra Surgical Enterprises, a leading force in surgical equipment manufacturing. At the forefront of precision and innovation, we specialize in crafting state-of-the-art instruments for the medical community. Our commitment to excellence and cutting-edge technology ensures that every instrument we produce meets the highest standards of quality, reliability, and performance. Explore the future of surgical solutions with Zohra Surgical Enterprises, where precision meets progress.

Organization



Zohra Surgical Enterprises, a leading force in the surgical equipment industry. Founded on principles of precision and innovation, we have emerged as a cornerstone for healthcare solutions. Our organization is a dynamic blend of dedicated professionals committed to shaping the future of surgical technology.



**Regular Distribution
of our Products.**



**Support on sales
& Spare Parts.**



**Widest Range of
Products.**



**High Profit
Margin.**

OUR MOTTO

**In Pursuit of
Excellence Quality**

MISSION

Our Mission is to safely and ethically manufacture, service, and supply surgical instruments for the public and private healthcare sector with continual quality improvement through our service and product. We treat our every customer on priority, their requirements and feedback are of most important to us.

VISION

Our vision always pushes us to develop and offer high quality solutions and products which can be proven to be effective and efficient in their application. Offering solutions and products that are verifiably effective that is our vision.

VALUE

Integrity: we are trustworthy and act in good faith.

Empathy: We care about all of our stakeholders.

Long-Term View: we look beyond the present to deliver future value.

Unity: We are strongest when we work together as a team.



FROM GROUND TO GRAND OPENING: DREAM HOSPITAL."

"Provide the land and we'll manage the rest, from groundbreaking to grand opening of your dream hospital."



**PROVIDE US
LAND FOR
HOSPITAL SETUP**

**HOSPITAL
CONSTRUCTION**

1.

**MEDICAL
GAS PIPE LINE**

3.

**HOSPITAL
EQUIPMENT**

5.

**MODULAR
OPERATION THEATER**

7.

**ICU
SETUP**

9.

**DIAGNOSTIC
SETUP**

11.

**CSSD
EQUIPMENT**

13.

**X-RAY ROOM
EQUIPMENT**

15.

2.

**MEDICAL
GAS OUTLET**

4.

**HOSPITAL
FURNITURE**

6.

**OPERATION
THEATER**

8.

**NICU
SETUP**

10.

**ENT
GAS OUTLET**

12.


**ALL KIND
OF PATIENT WARDS**

14.

**DENTAL
SETUP**

16.

**MONTHLY
SUBSCRIPTION
PLAN**



**WE WILL PROVIDE
A COMPLETE INSTALLED
HOSPITAL**

Table of CONTENTS

ZOHRA

GROUP OF COMPANIES



01	CERTIFICATION	(1)
02	AUTOCLAVE	(2-7)
03	AUTOCLAVE ACCESSORIES	(8)
04	DENTAL PRODUCTS	(9)
05	INSTRUMENT STERILIZER,CHAMBER	(10)
06	HOSPITAL HOLLOWARES	(11-16)
07	SCRUB SINK	(17)
08	ETO STERILIZER	(18)
09	SUCTION MACHINE	(19-22)
10	FUMIGATION PRODUCTS	(23-24)
11	MEDICAL GAS PIPELINE SOLUTION	(25)
12	HOSPITAL FURNITURE	(26-34)
13	CRASH CART TROLLEY & OTHER	(35)
14	LOCKER, STOOL & OTHER	(36)
15	MODULAR OT	(37)
16	OT PRODUCTS	(38-42)
17	ANESTHESIA TROLLEY	(43)
18	MAYO'S INSTRUMENT TROLLEY	(44)
19	SURGICAL CAUTERY MACHINE	(45)
20	NEEDLE DESTROYER	(46)
21	REHABILITATION PRODUCTS	(47-51)
22	NICU PRODUCTS	(52-63)
23	ICU PRODUCTS	(64-66)
24	ORTHOPADIC IMPLANTS	(67-69)
25	SURGICAL INSTRUMENT	(70-72)
26	LABORATORY PRODUCTS	(73)
27	X-RAY ILLUMINATOR	(74)
28	GENERAL PRODUCTS	(75)
29	BP MACHINE & BATHROOM SCALES	(76)
30	GENERAL SCALES	(77-78)
31	UNIFORM	(79-80)
32	SPECIALITIES WE COVER & OUR CLIENTS	(81)

OUR CERTIFICATION

ISO




CERTIFICATE

ISO



CERTIFICATE

CE



CERTIFICATE

CE




CERTIFICATE

USFDA




CERTIFICATE

MD 5



CERTIFICATE

INSPECTION




CERTIFICATE

TRADEMARK



CERTIFICATE

MD 42



CERTIFICATE

ALUMINIUM 'P' TYPE AUTOCLAVE

Portable Aluminium Cooker Type Autoclave

Model No: ZSE: A01



Seamless construction ensures bacterial free environment.

The unit is made of: Aluminium Alloy (Steel Mirror Finish) Also available in electric/Non Electric.

The unit is equipped with:

Pressure Gauge, Safety Valve, Double Safety Valve, Steam Release Valve, Vacuum Release Valve, Rubber Gasket, Inner Tripod Stand, Mild Steel Stand for Autoclave.

STAINLESS STEEL 'P' TYPE AUTOCLAVES

Portable Stainless Steel Cooker Type Autoclave

Model No: ZSE: A02



Seamless weld construction ensures bacterial free environment.

The unit is made of: Stainless Steel Shell, (Steel Mirror Finish) Also available in electric/Non Electric.

The unit is equipped with: Pressure Gauge, Safety Valve, Double Safety Valve, Steam Release Valve, Vacuum Release Valve, Rubber Gasket, Inner Tripod Stand, Mild Steel Stand for Autoclave.

MODELS/ VARIANTS

Size (INCH)	Size (MM)	Size (CM)	Capacity	Variants
9"X11"	225X275	22X27	12 LTR	Non-Electric / Electric
12"X12"	300X300	30X30	23 LTR	Non-Electric / Electric
12"X14"	300X350	30X35	25 LTR	Non-Electric / Electric
12"X16"	300X400	30X40	30 LTR	Non-Electric / Electric
12"X22"	300X550	30X55	40 LTR	Non-Electric / Electric
14"X22"	350X550	35X55	50 LTR	Non-Electric / Electric

ALUMINIUM NOBH TYPE AUTOCLAVES

**Autoclave Portable Aluminium
Six Wing Nut Type
Model No: ZSE: A03**



Seamless weld construction ensures bacterial free environment.

The unit is made of: Aluminium Mirror Finish, Equipped with Pressure Gauge, Safety Valve, Steam Release Valve, Vacuum Release Valve, Rubber Gasket, Inner Tripod Stand, Mild Steel Stand for Autoclave.

STAINLESS STEEL AUTOCLAVES

**Autoclave Portable
Stainless Steel Six Wing Nut Type
Model No: ZSE: A04**



Seamless weld construction ensures bacterial free environment.

The unit is made of: Stainless Steel Shell, Ring of Aluminium Lid of Stainless Steel are Combined with Aluminium.

The unit is equipped with: Pressure Gauge, Safety Valve, Double Safety Valve, Steam Release Valve, Vacuum Release Valve, Rubber Gasket, Inner Tripod Stand, Mild Steel Stand for Autoclave.

Optional: Digital Timer

MODELS/ VARIANTS

Size (INCH)	Size (MM)	Size (CM)	Capacity	Variants
12"X12"	300X300	30X30	23 LTR	Non-Electric / Electric
12"X14"	300X355	30X35	25 LTR	Non-Electric / Electric
12"X15	300X381	30X38	27 LTR	Non-Electric / Electric
12"X16"	300X406	30X40	30 LTR	Non-Electric / Electric
14"X15"	355X381	35X38	35 LTR	Non-Electric / Electric

DOUBLE CHAMBER AUTOCLAVE

Vertical Autoclave Nobh Type

Model No: ZSE: A05



Seamless weld construction ensures bacterial free environment.

The unit is made of: Stainless Steel Shell, Ring of Aluminium, Lid of Stainless Steel are Combined with Aluminium.

The unit is equipped with: Pressure Gauge, Safety Valve, Double Safety Valve, Steam Release Valve Vacuum Release Valve, Rubber Gasket, Inner Tripod Stand, Mild Steel Stand for Autoclave.



BRASS
KOBH

WATER OUTLET
VALVE

DIGITAL
CONTROLLER



SC MODEL



DELUXE MODEL



SUPER
DELUXE MODEL



AUTOMATIC SUPER
DELUXE MODEL

MODELS/ VARIANTS				
Size (INCH)	Size (MM)	Size (CM)	Capacity	Variants
12"X22"	300X550	30X55	40 LTR	Non-Electric / Electric
16"X27"	400X685	40X65	80 LTR	Non-Electric / Electric
16"X36"	400X900	40X90	100 LTR	Non-Electric / Electric
18"X24"	450X600	45X60	120 LTR	Non-Electric / Electric
18"X36"	450X900	45X90	150 LTR	Non-Electric / Electric
20"X48"	500X1200	50X120	250 LTR	Non-Electric / Electric

TRIPLE CHAMBER AUTOCLAVE

Vertical High-Pressure Nobh Type Autoclave

Model No: ZSE: A06

Seamless weld construction ensures bacterial free environment.

The unit is made of: Stainless Steel Shell, Ring Lid tank made of Stainless Steel (Optional- 202 SS /304 ss/ 316 ss Grade) are Combined with Mild Steel

The unit is equipped with: Pressure Gauge, Safety Valve, Double Safety Valve, Steam Release Valve Vacuum Release Valve, Rubber Gasket, Inner Tripod Stand, water level, water inlet, Mild Steel Stand for Autoclave.



HIGH PRESSURE 16"X24"
AUTOMATIC



AUTOMATIC



NON-AUTOMATIC



MANUAL TIMER



STEAM STOCKER
MODEL

MODELS/ VARIANTS

Size (INCH)	Size (MM)	Size (CM)	Capacity	Variants
12"X22"	300X550	30X55	40 LTR	Non-Electric / Electric
16"X24"	400X600	40X60	75 LTR	Non-Electric / Electric
16"X36"	400X900	40X90	100 LTR	Non-Electric / Electric
18"X24"	450X600	45X60	120 LTR	Non-Electric / Electric
18"X36"	450X900	45X90	150 LTR	Non-Electric / Electric
20"X48"	500X1200	50X120	250 LTR	Non-Electric / Electric

TRIPLE CHAMBER AUTOCLAVE

Vertical High-Pressure Radial locking Type Autoclave

Model No: ZSE: A07

Seamless weld construction ensures bacterial free environment.

The unit is made of: Stainless Steel Shell, Ring Lid tank made of Stainless Steel (Optional- 202 SS /304 ss/ 316 ss Grade) are Combined with Mild Steel

The unit is equipped with: Pressure Gauge, Safety Valve, Double Safety Valve, Steam Release Valve Vacuum Release Valve, Rubber Gasket, Inner Tripod Stand, water level, water inlet, Mild Steel Stand for Autoclave.



HIGH PRESSURE 16"X24" AUTOMATIC



AUTOMATIC



NON-AUTOMATIC



MANUAL TIMER



STEAM STOCKER
MODEL

MODELS/ VARIANTS				
Size (INCH)	Size (MM)	Size (CM)	Capacity	Variants
12"X22"	300X550	30X55	40 LTR	Non-Electric / Electric
16"X24"	400X600	40X60	80 LTR	Non-Electric / Electric
16"X36"	400X900	40X90	100 LTR	Non-Electric / Electric
18"X24"	450X600	45X60	120 LTR	Non-Electric / Electric
18"X36"	450X900	45X90	150 LTR	Non-Electric / Electric
20"X48"	500X1200	50X120	250 LTR	Non-Electric / Electric

HORIZONTAL AUTOCLAVE

Cylinder Horizontal Autoclave Triple Wall

Model No: ZSE: A08



ROUND AUTOCLAVE

Available in:
Semi-Automatic



ROUND AUTOCLAVE

Available in:
Fully-Automatic



RECTANGULAR

Available in:
Semi-Automatic
Fully-Automatic

Seamless weld construction ensures bacterial free environment.

The sterilizer is based on the principle that microbiological action of saturated steam at elevated temperature is rapid and through. All models work on principle of downward displacement of air which is most economical method of obtaining sterilization.

Construction: Triple Walled with Steam jacket. Inner Chamber and Steam Jacket made of S.S. 304 with leak proof argon welding. Lid Made of S.S. Autoclave mounted on tubular steel frame with ground leveling screwed flags. Equipped With: Pressure Control Device, Digital Temperature Controller with digital Timer & Alarm Low Water Cut off Device.

Operating Temperature & Pressure:

Sterilizing Temp.: 121°C to 131°C

Sterilizing Pressure : 1.2 to 1.5 Kg/cm² (15Psi – 20Psi)

Power : Suitable To Operated On 440V, 3ph, 50 Hz, AC Supply

MODELS/ VARIANTS

Size (INCH)	Size (MM)	Size (CM)	Capacity	Variants
12"X22"	300X550	30X55	40 LTR	Electric
14"X22"	350X550	35X30	60 LTR	Electric
16"X24"	400X600	40X60	80 LTR	Electric
16"X36"	400X900	40X90	100 LTR	Electric
18"X24"	450X600	45X60	120 LTR	Electric
20"X48"	500X1200	50X120	180 LTR	Electric
22"X30"	550X750	55X75	250 LTR	Electric
24"X48"	600X1200	60X120	350 LTR	Electric

AUTOCLAVE ACCESSORIES



SYRINGE RACK



S.S STAND



ELECTRIC LEAD



HEATING ELEMENT



HEATING ELEMENT



HEATING ELEMENT



**6 KW
HEATING ELEMENT**



PRESSURE GAUGE



PRESSURE GAUGE



PRESSURE GAUGE



SPRING VALVE



**WEIGHT VALVE
HEAVY**



V-SHAPE KNOB



BRASS KNOB



FLAT KNOB



**VEGA LIGHT
FULL KNOB**



**VEGA LIGHT
FULL KNOB**



**VEGA LIGHT
CENTER HANDLE**



**VEGA LIGHT
FULL KNOB**



STEAM RELEASE



WATER OUTLET



KILLI



**STEAM RELEASE
BRASS**



GASKET



GASKET

DENTAL PRODUCTS



**AUTOMATIC DENTAL
AUTOCLAVE**

Model No: ZSE: A09



**COOKER TYPE DENTAL
AUTOCLAVE**

Model No: ZSE: A10



UV CHAMBER

Model No: ZSE: A11



PORTABLE SUCTION UNIT

Model No: ZSE: A12

INSTRUMENT STERILIZER & CHAMBER

INSTRUMENT STERILIZER ELECTRICAL

Model No: ZSE: A13



SIZE		
Size (Inch)	Size (CM)	Size (MM)
8"X5"X5"	20.3X15.2	203.2X152.4
10"X5"X5"	22.8X15.2	228.6X152.4
12"X6"X6"	25.4X20.3	254X203.2
14"X6"X6"	27.9X17.7	279.4X177.8
16"X6"X6"	30.4X20.3	304.8X203.2
18"X8"X8"	30.4X20.3	304.8X254
20"X8"X8"	35.5X20.3	355.6X254
24"X8"X8"	38.1X30.4	381X304.8
24"X12"X8"	45.72X30.4	457.2X304.8
24"X12"X12"	20.8X7.6	203.2X76.2



INSTRUMENT STERILIZER WITH THERMOSTATE AND HAND LIFTING TRAY

Model No: ZSE: A14

SIZE		
Size (Inch)	Size (CM)	Size (MM)
12"X6"X5"	30X15X12	300X155X130
16"X6"X5"	40X15X12	410X155X130
17"X8"X6"	43X20X15	430X205X150
20"X8"X6"	50X20X15	510X250X150



CHAMBER

Model No: ZSE: A15

SIZE		
Size (Inch)	Size (CM)	Size (MM)
12"X6"X5"	30X15X12	300X155X130
16"X6"X5"	40X15X12	410X155X130
17"X8"X6"	43X20X15	430X205X150
20"X8"X6"	50X20X15	510X250X150
24"X8"X7"	60X20X17	600X200X170
26"X8"X7"	65X20X17	650X200X170
30"X8"X8"	75X20X20	750X200X200
32"X8"X8"	80X20X20	800X200X200
36"X8"X8"	90X20X20	900X200X200

► Instrument Sterilizer are used for Sterilize/ Sanitize. of surgical instruments.

HOSPITAL HOLLOWARES

- ▶ Dressing Drum are used for Sterilizing and stowing different types of dressing drums, instruments and other surgical instruments.
- ▶ Slotted belt with anchors for ease or stretch to open or close the belt drilled on the body.

DRESSING DRUM (JOINTED/SEAMLESS) Model No: ZSE: A16



SIZE		
Size (Inch)	Size (CM)	Size (MM)
6"X6"	15.2X15.2	152.4X152.4
9"X6"	22.8X15.2	228.8X152.4
9"X9"	22.8X22.8	228.8X228.8
11"X5"	27.9X12.7	279.4X127
11"X9"	27.9X22.8	279.4X228.8
12"X10"	30.4X25.4	304.8X254
14"X10"	35.5X25.4	355.6X254
15"X12"	38.1X30.5	381X304.8

FEATURE

- ▶ Products specified as "Economy" are made of Lighter Gauge.
- ▶ Products specified as "Deluxe" are made of higher Gauge.
- ▶ Provided in 202/304 grade S.S. with sensible minimum order quantity.
- ▶ Provided Dia from 5" to 18" as per the necessity with sensible minimum order quantity.
- ▶ Dressing Drum dimensions are measured from hinges to hinges.
- ▶ All dimension are comparative.



DRESSING DRUM (ORTHO SIZE) Model No: ZSE: A17

SIZE		
Size (Inch)	Size (CM)	Size (MM)
11"X18"	27.9X45.7	279.4X457.2
12"X18"	30.4X45.7	304.8X457.2
15"X18"	38.1X45.7	381X457.2
18"X24"	45.7X60.9	457.2X609.6

FEATURE

- ▶ Products specified as "Super Deluxe" are made of heavy Gauge.
- ▶ provided in 202/304 grade S.S. with sensible minimum order quantity.
- ▶ Dressing Drum dimensions are measured from hinges to hinges.
- ▶ All sizes are comparative.

HOSPITAL HOLLOWWARES

► Instrument trays are utilized to keep surgical instruments and dressing drum for sterilization.

INSTRUMENT TRAY

Model No: ZSE: A18



SIZE		
Size (Inch)	Size (CM)	Size (MM)
8"X6"	20.3X15.2	203.2X152.4
9"X6"	22.8X15.2	228.6X152.4
10"X8"	25.4X20.3	254X203.2
11"X7"	27.9X17.7	279.4X177.8
12"X8"	30.4X20.3	304.8X203.2
12"X10"	30.4X25.4	304.8X254
14"X10"	35.5X25.4	355.6X254
15"X12"	38.1X30.4	381X304.8
18"X12"	45.72X30.4	457.2X304.8



KIDNEY TRAY

Model No: ZSE: A19

SIZE		
Size (Inch)	Size (CM)	Size (MM)
6"	15.2	152.4
8"	20.3	203.2
10"	25.4	254
12"	30.4	304.8



BABY TRAY

Model No: ZSE: A20

SIZE		
Size (Inch)	Size (CM)	Size (MM)
18"X12"X3"	15.2	152.4

FEATURE

- Products specified as "Economy" are made of Lighter sheet.
- Products specified as "Deluxe" are made of j4 grade ss sheet.
- Products specified as "Super Deluxe" are made of 0.5 mm 304 grade S.S.
- Product can also be manufactured from 0.6mm S.S sheet to 0.8 mm S.S sheet as per client necessity with reasonable minimum order.
- Product provided with & without cover.
- All dimension are comparative measured from inner to inner.

HOSPITAL HOLLOWARES

LOTION BOWL

Model No: ZSE: A21



SIZE			
Size (Inch)	Size (CM)	Size (MM)	Capacity
4"	10	100	230ml
5"	12	120	330ml
6"	15	150	520ml
7"	17	170	1010ml
8"	20	200	1530ml

BASIN

Model No: ZSE: A22



SIZE			
Size (Inch)	Size (CM)	Size (MM)	Capacity
10"	25	250	1850ml
12"	30	300	2550ml
14"	35	350	4200ml
16"	40	400	6500ml

FETOSCOPE

Model No: ZSE: A23



SIZE		
Size	Size (CM)	Size (MM)
All small	15.2	152.4
All Big	20.3	203.2

FORCAPE JAR

Model No: ZSE: A24



SIZE		
Size (Inch)	Size (CM)	Size (MM)
2"x4"	5x10	50x100
2"x5"	5x12	50x125
2"x6"	5x15	50x150
2"x7"	5x17	50x180

► All Dimension & volume are comparative.

HOSPITAL HOLLOWARES

IRRIGATOR (DOUBLE CANE)

Model No: ZSE: A25



SIZE			
Material	Size (CM)	Size (MM)	Capacity
Al	10x13	105x135	1000ml
S.S	12x13	125x130	1000ml
S.S	12x12	125x145	1500ml

BED PAN FEMALE

Model No: ZSE: A26



SIZE		
Size (Inch)	Size (CM)	Size (MM)
13"x11"x2"	36x23x5	365x235x50
14"x12"x2"	40x28x5	405x285x50
13"x11"x3"	36x23x7	360x230x70

BED PAN MALE

Model No: ZSE: A27



SIZE		
Size (Inch)	Size (CM)	Size (MM)
14"x9"x2"	35x29x5	355x290x50
15"x11"x2"	37x31x5	375x310x50

FORCAPE JAR

Model No: ZSE: A24



SIZE		
Size (Inch)	Size (CM)	Size (MM)
2"x4"	5x10	50x100
2"x5"	5x12	50x125
2"x6"	5x15	50x150
2"x7"	5x17	50x180

► All Dimension & volume are comparative.

HOSPITAL HOLLOWARES

FEMALE URINAL

Model No: ZSE: A29



SIZE		
Capacity		
800 ml		
920 ml		
1010 ml		

SPITION

Model No: ZSE: A30



SIZE		
Capacity	Size (CM)	Size (MM)
450 ml	3x1.9	100x50

SPITION S.S

Model No: ZSE: A31



SIZE		
Capacity	Size (CM)	Size (MM)
450 ml	3x1.9	100x50

FLOWMETER

Model No: ZSE: A32/32(B)




SIZE	
	Capacity
	MAX-LIFE (SPL)
	MAX-LIFE(D)
	KOLKATA/TYPE
	BOMBAY/TYPE

► All Dimension & volume are comparative.

HOSPITAL HOLLOWARES

CIDEX TRAY CIDEX TRAY ACRYLIC Model No: ZSE: A33/A33(B)



SIZE		
Size (Inch)	Size (CM)	Size (MM)
27"x6"x5"	68x15x12	685x152x127

CIDEX TRAY ACRYLIC

Size (Inch)	Size (CM)	Size (MM)
8"x3"	20x7	200x75

DISINFECTION TRAY Model No: ZSE: A33(C)



SIZE		
Size (Inch)	Size (CM)	Size (MM)
27"x7"x4.5"	68x17x11	685x177x279

CATHETER TRAY Model No: ZSE: A34



SIZE		
Size (Inch)	Size (CM)	Size (MM)
8"x3"	20x7	205x80x36
8"x3.25"	20x8	205x85x45
8.75"x3.25"	22x8	222x82x41
16"x4"	40x10	405x110x48

PERFORATED TRAY Model No: ZSE: A35



SIZE		
Size (Inch)	Size (CM)	Size (MM)
10"x8"x2"	25x20x5	254x200x50
15"x12"x3"	38x30x75	380x300x75

► All Dimension & volume are comparative.

MODULAR SCRUB SINK

Model No: ZSE: A36

High-Quality SS Scrub Sinks offer hands-free operation Via either manual, knee-kick panels, electronic eye infra red sensor or programmable automatic timer. the series is available in single/double/triple basins and is made from the best materials, components and craft manship available.



TECHNICAL DATA

High mount swivel gooseneck spout
Optional infrared soap dispenser
Finish: Brush finish
Material:SS-304
Thickness:1.5MM
Packaging type: Wrapped Packing/wooden packing with extra charge

FEATURES

Seamless welded construction
front access plane
water control valve
pre operated
thermostatic mixing
adjustable timing of water
Operators: One bay/two bay/three bay
Splash screen divider

SS SCRUB SINK

Model No: ZSE: A37

As per the requirements of the customers, we are involved in manufacturing and supplying best quality of Portable Hand Wash Station. We design and develop all our products with utmost prominence as per the established industrial quality guidelines by making use of high-grade basic material and advanced technology.

FEATURES

Stainless Steel Durability: Our scrub sinks are constructed from high grade stainless steel, ensuring durability and resistance to corrosion. This guarantees a long-lasting solution for your hospital's hygiene needs.

Smart Design: The ergonomic design of our SS Hospital Scrub Sinks is focused on functionality and ease of use. Thoughtfully placed controls, deep basin, and splash-resistant features make these sinks an efficient addition to any medical facility.

Advanced Filtration: Equipped with cutting-edge filtration systems, our scrub sinks guarantee the removal of contaminants and impurities, providing a clean and safe environment for medical professionals to perform their tasks.

Touchless Technology: In an era where hygiene is paramount, our scrub sinks come with optional touchless technology. This not only minimizes the risk of cross-contamination but also adds a layer of convenience for the busy healthcare professional.

Easy Maintenance: Designed with maintenance in mind, our SS Hospital Scrub Sinks are easy to clean and require minimal upkeep. This ensures that your focus remains on patient care rather than sink maintenance.



ETO STERILIZER

Model No: ZSE: A38

Description:

ETO Sterilization is considered the sterilization method with the broadest application available for medical products and medical devices due to its effectiveness at lower temperatures and its general compatibility with a diversity of materials, resins, and product types, including: Polymer resin-based products.

FEATURES:

- Programmable Plc With Touch Display:
- Vacuum Pump Inbuilt.
- Heating System.
- Thermal Printer Inbuilt.
- Air Inlet Filter .
- Cartridge Puncturing Automatic(Inbuilt).
- Vacuum Gauge Inbuilt.
- Screen On Control Panel Indicates. Specific Phase During the Operation.
- The Operator By Means Of Messages On Indicator And Buzzer.
- Control Facility: Fully Automatic.




MODELS/ VARIANTS

Size (INCH)	Size (MM)	Size (CM)	Capacity
12"X12"X24	300X300X600	30X30X60	55 LTR
12"X12"X36	300X300X900	30X30X90	85 LTR
12"X12"X48	300X300X1200	30X30X120	110 LTR
12"X12"X60	300X300X1500	30X30X150	135 LTR

ELECTRIC SUCTION APPARATUS

MODEL NO: ZSE009A



SPECIFICATION

- Dry Pump Motor (Warranty: 2 year).
- 1.5 Ltr PVC Jars with rubber/ABS lids.
- M.S. Top with Box Packing.
- 25 Liter Per Minute (LPM).
- Foot Switch Operated.
- M.S. Cabinet epoxy powder coated.
- Fitted with 1/4 H.P. electric motor with oil immersed rotary vacuum pump.
- Vacuum gauge. Vacuum control knob, overflow cut off device.
- Power Indicator & Patient suction tubing.
- Mounted on 50mm nylon rubber ring wheels.

Also Available in 2x1500ml Glass Jar

MODEL NO: ZSE009C



- ALUMINIUM MOTOR
- PVC JAR (OPTIONAL)

- M.S. BODY
- 25 LPM

MODEL NO: ZSE009D



- ALUMINIUM MOTOR
- PVC JAR (OPTIONAL)

- S.S. BODY
- 25 LPM

MODEL NO: ZSE009B



- COPPER MOTOR
- GLASS JAR (OPTIONAL)

- M.S. BODY
- 25 LPM

MODEL NO: DRY PRO MODEL



- DRY PUMP MOTOR
- GLASS JAR (OPTIONAL)

- M.S. BODY
- 30 LPM

SPECIFICATION

- Aluminium Motor (Warranty: 1 year).
- Copper Motor (Warranty: 2 year).
- 1.5 Ltr glass Jars with rubber lids.
- 25-30 Liter Per Minute (LPM).
- M.S. Cabinet epoxy powder coated.
- Fitted with 1/4 H.P. electric motor with oil immersed rotary vacuum pump.
- Vacuum gauge. Vacuum control knob, overflow cut off device.
- Power Indicator & Patient suction tubing.
- Mounted on 50mm nylon rubber ring wheels.

MODEL NO: ZSE010B



☐ ALUMINIUM MOTOR

☐ M.S. BODY

☐ PVC JAR (OPTIONAL)

☐ 30 LPM

MODEL NO: ZSE010F



☐ COPPER MOTOR

☐ M.S. BODY

☐ PVC JAR (OPTIONAL)

☐ 30 LPM

MODEL NO: ZSE010A



☐ COPPER MOTOR

☐ M.S. BODY

☐ FOOT SWITCH OPERATED

☐ 40 LPM

MODEL NO: 1 HP



☐ COPPER MOTOR

☐ M.S. BODY

☐ GLASS JAR (OPTIONAL)

☐ 50 LPM

SPECIFICATION

- Aluminium Motor (Warranty: 1 year).
- Copper Motor (Warranty: 2 year).
- 1.5 Ltr Jars (glass Jars with rubber lids).
- 30-50 Liter Per Minute (LPM).
- M.S. Cabinet epoxy powder coated.
- Fitted with 1/2 H.P./ 1HP electric motor with oil immersed rotary vacuum pump.
- Vacuum gauge. Vacuum control knob, overflow cut off device.
- Power Indicator & Patient suction tubing.
- Mounted on 50mm nylon rubber ring wheels.

FOOT CUM ELECTRIC SUCTION UNIT



SPECIFICATION

- Copper Motor (Warranty: 2 year).
- 2.5/1.5 Ltr Glass Jars with rubber lids.
- 20-35 Liter Per Minute (LPM). Metal Pump.
- S.S. Top with Box Packing.
- M.S. Cabinet epoxy powder coated.
- Fitted with 1/2 H.P & 1/4 H.P electric motor with oil immersed rotary.

BASIC MODEL



SPECIFICATION

- Plastic Pump/Aluminium Pump.
- M.S. epoxy powder coated or S.S base on rubber stump.
- Horizontal heavy duty vaccum pump foot operated.
- 2x600ml glass graduated suction jars with rubber lids.
- Complete with 2" vacuum gauge, suction tubing.
- Box Packing.

DELUXE MODEL



SPECIFICATION

- Aluminium Pump (1 year Warranty).
- M.S. epoxy powder coated or S.S base on rubber stump.
- Horizontal heavy duty vaccum pump foot operated.
- 600ml glass Jar graduated suction jar with rubber lids.
- Complete with 2" vacuum gauge, suction tubing.
- Box Packing.

SLOW SUCTION UNIT ELECTRIC



SPECIFICATION

- Aluminium Pump (1 year Warranty).
- M.S. epoxy powder coated or S.S base on rubber stump.
- Horizontal heavy duty vaccum pump foot operated.
- 600ml glass Jar graduated suction jar with rubber lids.
- Complete with 2" vacuum gauge, suction tubing.
- Box Packing.

FUMIGATION PRODUCTS

ULV MICRO FOGGER

Model No: ZSE: A39

Micro Fogger provides excellent control size, even for near-invisible 7-10 micron droplets needed by concentrated ULV chemicals.

The Micro Fogger can treat 2,000-4,000 cubic feet per minute, reducing application time and labor costs and when you need high output and large droplets, the Micro Fogger is just as effective. It can deliver up to 150 ml/min in a mist of large (30 micron) droplets used in humidification dust abatement and sanitizing work. The advanced Micro Fogger can apply either oil-or water based chemicals and it's easy to calibrate when changing liquids.



Available In: Digital Timer
& Rotary Trolley

Features:

- a) Max. Area Coverage As Compared To Any Other Conventional Fogger.
- 304 Grade Stainless Steel Body.
- b) Chemical Level Indicator.
- c) Comes With Pre-Fitted Liquid Flow Control Valve For Ease Of Use.
- d) 100% Convenient, Portable & Easy To Use

Body & Tank: 304 Grade Stainless Steel

Tank Capacity: 4 Liter/7 Liter of Chemical Storage

Blower Motor: >26000 RPM Motor

Nozzle: 1 Counter Rotating Vortex Nozzle

Chemicals: Can atomize both oil-based and water based liquids

Control Valve: On turn. Brass Valve

Particle Size: 5-30 μ , adjustable. Liquid viscosity and density can affect particle size.

Range: Visible fog, 20-30 ft (7.5m)

Input: 230V 50Hz Single Phase AC Supply

Dimensions: (33x41x23.5cm) LxHxDia

Net Weight: 6.50 Kg (Approx)



ECONOMY
MODEL



DELUXE
MODEL



ABS
MODEL

FUMIGATION PRODUCTS

MULTIPURPOSE PORTABLE FUMIGATOR

Model No: ZSE: A40



Capacity:

1.5 Ltr, 3 Ltr, 5 Ltr.

Usage Guidelines:

- a) So easy to use, Mediono Multipurpose Fumicator can be efficiently operated even by a ward boy.
- b) In addition no heat or catalyst is needed to spray the aerosol mist. So no extra expenses are incurred and no separated arrangement is required for humidity.
- c) Ideal Temperature in the area to be disinfected should be between 24°C to 38°C.

Concentration:

- a) For Routine Disinfection: 30ml of formalin of 40% concentration with 90ml. of pure water is 1000 cubic feet area.
- b) For intensive Disinfection: 90ml. of formalin 40% concentration with 90ml. of Pure water is sufficient for 1000 cubic feet area.

Formalin, Dettol, Savlon, Servocid, Phenol ETC. Can be safely used the multipurpose way.

Acts as:

- a) Disinfector. b) Humidifier.
- c) Clematises. d) Atomizer.
- e) Insect Repellant Sprayer.

Specifications:

Power 220volts, 50Hz. 160watts

Output 1.5 to 15 lts/hr.

Speed of motor 2,960rpm

The Medical Gas Pipeline System is a key element of every hospital. The MGPS Provides vital medical gases for patient ventilation and various clinical applications. installing a reliable central medical gas supply involves a great deal of responsibility, which we are happy to take on for you with specialist knowledge, outstanding systems expertise, and a comprehensive range of services.

MEDICAL GAS PIPELINE SOLUTIONS




PIPELINE



GAS ALARM



GAS OUTLET



AVSU'S & MODULES



**PENDANTS, FLOWMETERS
& BED HEAD**



**PLANTS &
MANIFOLDS**

HOSPITAL PLAIN BED

HOSPITAL PLAIN BED

Model No: ZSE: A41



FEATURE

- ▶ Frame made of rectangular CRCA pipes.
- ▶ Bed top made of CRCA perforated sheet.
- ▶ Head and foot bows uneven in height with vertical tube supports provided with mattress guard.
- ▶ Provision for fixing IV/Saline Stand.
- ▶ The complete metal components are pre treated and epoxy powder coated.
- ▶ Overall Approx Size: 185L x 90W x 80H cm

HOSPITAL PLAIN BED

Model No: ZSE: A42



FEATURE

- ▶ Frame made of rectangular CRCA pipes.
- ▶ Bed top made of CRCA perforated sheet.
- ▶ SS frame head and foot bows with laminated panels.
- ▶ The complete metal components are pre treated and epoxy powder coated
- ▶ Overall Approx Size: 190L x 90W x 80H cm

HOSPITAL PLAIN BED

Model No: ZSE: A43



FEATURE

- ▶ Frame made of rectangular CRCA pipes. Bed top made of CRCA perforated sheet.
- ▶ Head and foot bows uneven in height with vertical tube supports provided with mattress guard.
- ▶ Provision for fixing IV/Saline Stand.
- ▶ The complete metal components are pre treated and epoxy powder coated.
- ▶ Overall Approx Size: 180L x 90W x 80H cm

HOSPITAL PLAIN BED

Model No: ZSE: A44



FEATURE

- ▶ Frame made of CRCA rectangular tubes.
- ▶ Bed top made of CRCA perforated sheet.
- ▶ Head and foot bows made of CRCA pipes with vertical tube supports.
- ▶ Drop down/swing down side railing made of CRCA pipe Pre-Treated and Epoxy Powder Coated.
- ▶ Overall Approx Size: 145L x 65W x 60H cm

SEMI FOWLER BED

SEMI FOWLER BED

Model No: ZSE: A45



FEATURE

- ▶ Mechanically operated by smooth crank system.
- ▶ Adjustable back rest, operated smoothly by foldable screw handle from foot end.
- ▶ Two-sectional Uniformly Perforated CRCA Sheet Top Superior-quality ABS plastic head panel and foot panel Collapsible SS side railing.
- ▶ Four locations on bed frame for telescopic IV pole.
- ▶ Mounted on 125mm dia. fully-covered noiseless casters Pre-treated and Epoxy Powder Coated.
- ▶ Overall Approx Size: 190L x 90W x 80H cm.

SEMI FOWLER BED

Model No: ZSE: A46



FEATURE

- ▶ Mechanically operated by smooth crank system.
- ▶ Adjustable back rest, operated smoothly by screw handle from foot end.
- ▶ Two-sectional Uniformly Perforated CRCA Sheet Top
- ▶ S.S. head and foot bows fitted with wooden laminated panels.
- ▶ Two locations on bed frame for telescopic IV pole Mounted on protective PVC stumps.
- ▶ Pre-treated and Epoxy Powder Coated.
- ▶ Optional: Drop-type M.S. / S.S. side railing.
- ▶ Overall Approx Size: 190L x 90W x 80H cm.

SEMI FOWLER BED

Model No: ZSE: A47



FEATURE

- ▶ Mechanically operated by smooth crank system.
- ▶ Adjustable back rest, operated smoothly by foldable screw handle from foot end.
- ▶ Two-sectional Uniformly Perforated CRCA Sheet Top Superior-quality ABS plastic head panel and foot panel
- ▶ Four locations on bed frame for telescopic IV pole. .
- ▶ Mounted on PVC Stumps.
- ▶ Pre-treated and Epoxy Powder Coated.
- ▶ Overall Approx Size: 190L x 90W x 80H cm.

SEMI FOWLER BED STANDARD

Model No: ZSE: A48



FEATURE

- ▶ Mechanically operated by smooth crank system
- ▶ Adjustable back rest, operated smoothly by screw handle from foot end.
- ▶ Epoxy coated rectangular CRCA frame.
- ▶ Two-sectional Uniformly Perforated CRCA Sheet Top.
- ▶ Two locations on bed frame for telescopic IV pole.
- ▶ Mounted on protective PVC stumps.
- ▶ Pre-treated and Epoxy Powder Coated.
- ▶ Overall Approx Size: 190L x 90W x 80Hcm.

FULL FOWLER BED

FULL FOWLER BED

Model No: ZSE: A49



FEATURE

- ▶ Hospital Fowler Beds made of high quality materials, components and accessories.
- ▶ Hospital Fowler Beds has four section sheet metal top.
- ▶ Hospital Fowler Beds with adjustable backsection and knee-rest.
- ▶ Manually operated crank system for various positions.
- ▶ High quality castors.
- ▶ Standard dimension: Bed frame 2030mm L x 900 mm W x 600 mm H

FULL FOWLER BED

Model No: ZSE: A50



FEATURE

- ▶ Mattress area divided into 4 sections made up of CRCA M.S Sheet.
- ▶ ABS head and foot bows are locked and provide a soothing look. Provided with Collapsible Rails.
- ▶ Corner PU buffers absorb impact and reduce damage in handling. Saline stand provision on four locations.
- ▶ Castors of 125mm dia. With diagonal locking are provided for mobility with control.
- ▶ The complete metal components are pre treated and epoxy powder coated.
- ▶ Back rest, Knee rest maneuverable by 2 separate handles at foot end.

FULL FOWLER BED

Model No: ZSE: A51



FEATURE

- ▶ Mattress area divided into 4 sections made up of CRCA M.S Sheet.
- ▶ ABS head and foot bows are locked and provide a soothing look.
- ▶ Saline stand provision on four locations.
- ▶ Castors of 125mm dia. With diagonal locking are provided for mobility with control.
- ▶ The complete metal components are pre treated and epoxy powder coated.
- ▶ Back rest, Knee rest maneuverable by 2 separate handles at foot end.

FULL FOWLER BED

Model No: ZSE: A52



FEATURE

- ▶ Mattress area divided into 4 sections made up of CRCA M.S Sheet.
- ▶ ABS head and foot bows are locked and provide a soothing look. Saline stand provision on four locations.
- ▶ Castors of 125mm dia. With diagonal locking are provided for mobility with control.
- ▶ The complete metal components are pre treated and epoxy powder coated.
- ▶ Back rest, Knee rest maneuverable by 2 separate handles at foot end.

MECHANICAL I.C.U. BED

MECHANICAL I.C.U. BED 3

Model No: ZSE: A53



FEATURE

- ▶ Mattress area divided into 4 sections made up of CRCA Sheet.
- ▶ Detachable SS Panel With Laminated head and foot bows provide a soothing look.
- ▶ Provided with SS IV pole along with 4 IV locations
- ▶ Drop Type Stainless steel Side Rails.
- ▶ Castors of 125 mm dia. With diagonal locking are provided for mobility with control.
- ▶ The complete metal components are pre treated and epoxy powder coated.
- ▶ Back rest, Knee rest, Trendelenburg/Reverse Trendelenburg, High - Low Positions maneuverable by 4 separate foldable handles at the foot end.

MECHANICAL I.C.U. BED 3

Model No: ZSE: A54



FEATURE

- ▶ Mattress area divided into 4 sections made up of CRCA Sheet.
- ▶ Detachable SS Panel With Laminated head and foot bows provide a soothing look.
- ▶ Provided with SS IV pole along with 4 IV locations.
- ▶ Drop Type Stainless steel Side Rails.
- ▶ Castors of 125 mm dia. With diagonal locking are provided for mobility with control.
- ▶ The complete metal components are pre treated and epoxy powder coated.
- ▶ Back rest, Knee rest, High - Low Positions maneuverable by 3 separate foldable handles at the foot end.

MECHANICAL I.C.U. BED 4

Model No: ZSE: A55



FEATURE

- ▶ Mattress area divided into 4 sections made up of CRCA Sheet.
- ▶ Detachable SS Panel With Laminated head and foot bows provide a soothing look.
- ▶ Provided with SS IV pole along with 4 IV locations
- ▶ Drop Type Stainless steel Side Rails.
- ▶ Castors of 125 mm dia. With diagonal locking are provided for mobility with control.
- ▶ The complete metal components are pre treated and epoxy powder coated.
- ▶ Back rest, Knee rest, Trendelenburg/Reverse Trendelenburg, High - Low Positions maneuverable by 4 separate foldable handles at the foot end.

MECHANICAL I.C.U. BED 5

Model No: ZSE: A56



FEATURE

- ▶ Mattress area divided into 4 sections made up of CRCA Sheet.
- ▶ Detachable polymer moulded head and foot bows provide a soothing look.
- ▶ Provided with SS IV pole along with 4 IV locations.
- ▶ Split type 4 section polymer moulded safety side rails with separate angle indicator.
- ▶ Castors of 125 mm dia. With diagonal locking are provided for mobility with control.
- ▶ The complete metal components are pre treated and epoxy powder coated.
- ▶ Back rest, Knee rest maneuverable by 2 separate handles at foot end.

ELECTRIC I.C.U. BED

ELECTRIC I.C.U BED 7 FUNCTION

Model No: ZSE: A57



FEATURE

ICU Bed (7 function): Electrically operated back rest tilting 0-70°, knee rest tilting 0-30°, trendelenburg tilting 0-12°, Reverse trendelenburg tilting 0-12°, mattress base (lateral) tilting to the left up to 15°, tilting to the right up to 15°
Size: L 2240mm × W1055mm × H 520-920mm (Adjustable Height). °. Bed extension -200 mm(+/- 10 mm).

ELECTRIC I.C.U BED 5 FUNCTION

Model No: ZSE: A58



FEATURE

This Bed Performs Five Functions fully Electric Back Rest /Knee Rest/ Trendelenburg/ Reverse Trendelenburg / High Low / Back Rest Knee Rest simultaneously/ Cardiac Chair Position/ Automatic CPR and special Neuro Position with Exit Area Both sides of the bed should be illuminated which help & improve resident/ patient safety and security.

ELECTRIC I.C.U BED ECONOMIC 5 FUNCTION

Model No: ZSE: A59



FEATURE

- ▶ Mattress area divided into 4 sections made up of CRCA Sheet.
- ▶ Detachable polymer moulded head and foot bows provide a soothing look.
- ▶ Provided with 4 sectional polymer moulded safety side rails with separate angle indicators.
- ▶ Provided with SS IV pole along with 4 IV locations.
- ▶ Provided with heavy duty saline stand with provision for fixing it at all four locations.

ELECTRIC LED BED

Model No: ZSE: A60



FEATURE

- ▶ Mattress area divided into 4 sections made up of CRCA Sheet.
- ▶ Detachable polymer moulded head and foot bows provide a soothing look.
- ▶ Provided with 4 sectional polymer moulded safety side rails Optional separate angle indicators.
- ▶ Provided with SS IV pole along with 4 IV locations.
- ▶ Provided with heavy duty saline stand with provision for fixing it at all four locations.
- ▶ Castors of 125 mm dia. Diagonally lockable.
- ▶ Back rest, Knee rest, Trendelenburg / Reverse Trendelenburg, High – Low and one touch zero level (CPR) position maneuverable by 4 separate actuator operated by handheld remote.

EMERGENCY RECOVERY TROLLEY

Model No: ZSE: A61



FEATURE

- ▶ Height adjustable by foot-operated hydraulic pump from 65-95 cm
- ▶ Two-section removable X-ray translucent top. Backrest raised on ratchet.
- ▶ Trendelenburg/Reverse Trendelenburg positions assisted by gas spring.
- ▶ Four heavy duty swivel casters of 125 mm dia. two with brakes
- ▶ Pre-treated and epoxy powder coated.
- ▶ Provided with Safety side railings, IV rod, Oxygen cylinder cage and storage tray for holding x-ray cassettes.
- ▶ Overall Approx Size: 210L x 65W x 65-95H cm (Height Adjustable.)

EMERGENCY RECOVERY TROLLEY

Model No: ZSE: A62



FEATURE

- ▶ Height adjustable by foot-operated hydraulic pump from 65-95 cm
- ▶ Two-section removable X-ray translucent top. Backrest raised on ratchet.
- ▶ Trendelenburg/Reverse Trendelenburg positions assisted by gas spring.
- ▶ Four heavy duty swivel casters of 125 mm dia. two with brakes
- ▶ Pre-treated and epoxy powder coated.
- ▶ Provided with Safety side railings, IV rod, Oxygen cylinder cage and storage tray for holding x-ray cassettes.
- ▶ Overall Approx Size: 210L x 65W x 65-95H cm (Height Adjustable.)

STRETCHER ON TROLLEY

Model No: ZSE: A63



FEATURE

- ▶ Stretcher on Trolley Deluxe with Cylinder cage, IV Provision, Tray and Drop Type Railing.
- ▶ Frame work of rectangular CRCA / mild steel-tubes.
- ▶ Mounted on protective 6" PU Castors.
- ▶ Powder coated CRCA sheet top/Stainless SteelTop.
- ▶ Pre-treated and epoxy powder coated.
- ▶ Provided with Cylinder Cage, Utility Tray and IV Provision along with IV rod.
- ▶ Stainless Steel Safety Rails are Also provided.
- ▶ Overall Approx Size: 180L x 60W x 60H cm.

STRETCHER ON TROLLEY

Model No: ZSE: A64



FEATURE

- ▶ Stretcher on Trolley Deluxe with Cylinder cage, IV Provision, Tray and Drop Type Railing.
- ▶ Frame work of rectangular CRCA / mild steel-tubes.
- ▶ Mounted on protective 6" PU Castors.
- ▶ Powder coated CRCA sheet top/Stainless SteelTop.
- ▶ Pre-treated and epoxy powder coated.
- ▶ Provided with Cylinder Cage, Utility Tray and IV Provision along with IV rod.
- ▶ Stainless Steel Safety Rails are Also provided.
- ▶ Overall Approx Size: 180L x 60W x 60H cm.

BED MATTRESS

MATTRESS FOR EXAMINATION TABLE /LABOUR TABLE

Model No: ZSE: A65



FEATURE

- ▶ Overall approx. size: Overall size 1950mm L x 790mm H.
- ▶ SS lithotomy bar made of 12mm dia.
- ▶ Waste collection bowl provided.
- ▶ U-cut at foot end.
- ▶ Fully Powder coated/Fully Stainless Steel.
- ▶ Top SS & base powder coated.

MATTRESS FOR PLAIN BED

Model No: ZSE: A66



FEATURE

- ▶ 100mm thick, 32Density/40 Density foam mattress covered with rexine closed with zip at one end.
- ▶ Single Section Mattress for plain beds.

MATTRESS FOR SEMI-FOWLER BED

Model No: ZSE: A67



FEATURE

- ▶ 100mm thick, 32Density/40 Density foam mattress covered with rexine closed with zip at one end.
- ▶ Two Section Mattress for plain beds.

MATTRESS FOR FULL FOWLER BED /I.C.U. BED

Model No: ZSE: A68



FEATURE

- ▶ 100mm thick, 32Density/40 Density foam mattress covered with rexine closed with zip at one end.
- ▶ Four Section Mattress for plain beds.

WHEEL CHAIR

Max-life Wheelchair provides complete safety for patients. It is made up of a deluxe steel finish body for long life. The leather seats give ample comfort and are long-lasting. It is comfortable and convenient for old-aged people with walking difficulty and for handicapped patients. It is foldable and fits into a small confined space.



Folding Powder Coated Wheelchair with Attendant Brakes

Model No: ZSE: A69

Description

- ▶ Folding Wheelchair With Fixed Arm & Footrest, Side Brakes, And Easy Folding.
- ▶ Powder Coated Frame.
- ▶ Superior Quality Mag Wheels.
- ▶ Max Load Bearing: 100 Kgs(Approx)
- ▶ Net Weight Of Wheelchair: 18 Kgs(Approx)
- ▶ Added Patients Safety Belt,
- ▶ Belts Works As A Support For User, Belt Has A Locking Clip And Is Adjustable

Lite Foldable Strong Built Up Quality Wheelchair

Model No: ZSE: A70

Description

- ▶ This wheelchair is also usable as Self Driven.
- ▶ It is made of nylon fabric, and stainless steel wheels are fitted in this wheelchair.
- ▶ So this type of material gives it a Long Lasting life.
- ▶ The seat is made of fabric so it is very Comfortable. And there are two comfortable cushions on the handle, which will make you so relaxed.
- ▶ There are two strong breaks on Wheels. Which will take care of your safe journey.
- ▶ There is also a wheel lock on the Rear Wheels.
- ▶ Hero wheelchair is fully Foldable. So it can be easily used during journeys or vacations too.
- ▶ Buy More Best Brand wheelchair, Walker, Adjustable Mobility Solutions Online Price



Fighter C Mag Wheelchair

Model No: ZSE: A71

Description

- ▶ Nylon Tyres give extended life to the wheels.
- ▶ The footrest is foldable.
- ▶ It is foldable and easy to carry when travelling.
- ▶ Gives ample support for the person using it.
- ▶ Easily movable with a push/pull of a hand.



**LABOUR DELIVERY ROOM
(LDR) BED ELECTRIC**

Model No: ZSE: A72



**LABOUR DELIVERY ROOM
(LDR) BED HYDRAULIC**

Model No: ZSE: A73



**FOLDING STRETCHER
2-FOLD**

Model No: ZSE: A74



**AMBULANCE
STRETCHER**

Model No: ZSE: A75



**DELIVERY TABLE
(3-SECTION)**

Model No: ZSE: A76



**BLOOD TRANSFUSION
CHAIR**

Model No: ZSE: A77



**DIALYSIS CHAIR
ELECTRIC**

Model No: ZSE: A78



**BLOOD TRANSFUSION
CHAIR ELECTRIC**

Model No: ZSE: A79



PEDIATRIC BED

Model No: ZSE: A80



**PEDIATRIC
FOWLER BED**

Model No: ZSE: A81



**ATTENDANT BED
CUM CHAIR**

Model No: ZSE: A82



**ATTENDANT BED
(CUSHIONED PLY TOP)**

Model No: ZSE: A83



**OVERBED TABLE
ADJUSTABLE HEIGHT**

Model No: ZSE: A84



**OVERBED TABLE
FIXED HEIGHT**

Model No: ZSE: A85



**I.V. STAND M.S
POWDER COATED**

Model No: ZSE: A86



**I.V. STAND
ALL S.S**

Model No: ZSE: A87

CRASH CART, TROLLEY, BASIN, KICK BUCKET



**EMERGENCY
MEDICINE TROLLEY**

Model No: ZSE: A88



**ABS MEDICINE
TROLLEY**

Model No: ZSE: A89



**MEDICINE
TROLLEY**

Model No: ZSE: A90



**CRASH CART
S.S FRAMEWORK**

Model No: ZSE: A91



**CRASH CART
TROLLEY**

Model No: ZSE: A92



ECG TROLLEY

Model No: ZSE: A93



UTILITY TROLLEY

Model No: ZSE: A94



**INSTRUMENT TROLLEY
ALL S.S (18"X24")
ALL S.S (18"X30")**

Model No: ZSE: A95



**SOILED LINEN TROLLEY
(CANVAS BAG)
(PLASTIC BUCKET)**

Model No: ZSE: A96



**DRESSING TROLLEY
ALL S.S (18"X30")**

Model No: ZSE: A97



**LINEN CHANGE
TROLLEY**

Model No: ZSE: A98



**CYLINDER
TROLLEY**

Model No: ZSE: A99



**WASH BASIN
STANDS S.S SINGLE**

Model No: ZSE: A100



**WASH BASIN STANDS
S.S DOUBLE**

Model No: ZSE: A101



**KICK BUCKET
SINGLE**

Model No: ZSE: A102



**KICK BUCKET
DOUBLE**

Model No: ZSE: A103

LOCKER, STOOL & CHAIR



GENERAL BEDSIDE
LOCKER

Model No: ZSE: A104



BEDSIDE LOCKER-
DELUXE

Model No: ZSE: A105



BEDSIDE CABINET-
ABS (IMPORTED)

Model No: ZSE: A106



3 SHALVES OPEN S.S.
BED SIDE LOCKER

Model No: ZSE: A107



REVOLVING STOOL
S.S TOP

Model No: ZSE: A108



VISITOR STOOL
S.S TOP

Model No: ZSE: A109



FOOTSTEP SINGLE

Model No: ZSE: A110



FOOTSTEP
DOUBLE

Model No: ZSE: A111



BEDSIDE SCREEN
4-FOLD

Model No: ZSE: A112



BEDSIDE SCREEN
3-FOLD

Model No: ZSE: A113



ABS SIDE RAILING

Model No: ZSE: A114



ABS PANEL

Model No: ZSE: A115



STEEL SUNNICA
PANEL

Model No: ZSE: A116



4"PU WHEEL

Model No: ZSE: A117



5 ABS WHEEL

Model No: ZSE: A118



THREE SEATER

Model No: ZSE: A119



THREE SEATER

Model No: ZSE: A120



BIO MED WASTE BIN

Model No: ZSE: A121




COLLAPSIBLE RAILING CURVED

Model No: ZSE: A122

MODULAR OPERATION THEATRE

We believe that the Modular Operating Theatre (MOT) technology should continuously advance the safety, precision, and efficiency of the surgical team. Medical technology should make the workflow faster and easier for clinicians. Interfaces should be familiar and intuitive — consistent across different workstations, thus reducing the potential for error. Innovations in workplace design and clinical information management can improve both patient safety and outcomes while supporting high OT throughput with maximal flexibility.



Features of a Modular OT?

- ▶ A continuous flow of highly filtered “Bacteria free” air into the OT.
- ▶ A continuous removal of contaminated air out of the operation theatre
- ▶ Durable anti-bacterial paint
- ▶ Easy to clean and maintain
- ▶ Permeability of vapour to escape which protects against the growth of yeast and microbes
- ▶ Moisture and Thaw resistance
- ▶ Easy to move and get hands on the instruments
- ▶ Should be able to accommodate a number of doctors inside.

Why do we need Modular OT?

Sterility: To have complete infection free cases

- ▶ To achieve a very low level of Bacteria count in the ot.
- ▶ To have non-porous, seamless, easily cleanable surfaces.
- ▶ To reduce the need of frequent disinfection.

Work-Flow Management

- ▶ To have concealed wiring and medical pipeline system.
- ▶ To have a complete hassle-free floor area leading to enhanced equipment and personal movement.
- ▶ To have effective lighting system to operate under better conditions.

Aesthetics – Pleasing work environment

- ▶ Effective lighting by maintaining LUX levels
- ▶ Clean air quality and effective ventilation
- ▶ Pleasing work environment through the use of different walls and floor colours.



Wall systems
& ceiling Systems



Wall systems
& ceiling Systems



Flooring



Operating Room
Control Panel



Doors



Storage system



BARIATIC TABLE

Model No: ZSE: A123



FEATURE

- ▶ Anaesthetic Screen
- ▶ Made by ss304 to Avoid rust.
- ▶ Shoulder Supports with pads.
- ▶ Arm Boards with pads. Lateral Support with pad.
- ▶ Water proof rubber mattress.
- ▶ Body Strap & Foot Plates.
- ▶ Three section top.
- ▶ Up & down, Trend. Burg & Rev. Trend.
- ▶ Cable Remote for All Positions.
- ▶ Electric Floor Locking Facility.
- ▶ Weight Bearing Capacity is 350 kg.

C-ARM COMPATIBLE OPERATION TABLE

Model No: ZSE: A124



FEATURE

- ▶ Specialized for orthopedic, neurology, ERCP, laparoscopy and urology. The APS-CT-104 provides excellent CArm and surgical access.
- ▶ Slimline column offset relative to tabletop and base.
- ▶ Furnished with hard, robust stainless-steel shell which provides the sense of dirt free & sanitized operations.
- ▶ Smooth height adjustment of the table can be achieved by using the foot pedal. Trendelenburg, lateral tilt, flex-reflex, chair operated manually.
- ▶ Interchangeable general sections (head/leg).

DELIVERY TABLE

Model No: ZSE: A125



FEATURE

- ▶ X-ray compatible table with translucent table top.
- ▶ Functions can be opted by its mechanism i.e. lateral tilt, Trendelenburg/ reverse Trendelenburg, flex-reflex & chair position.
- ▶ Height adjustment by stepping foot pedal downward. Furnished with hard, robust stainless-steel shell which provides the sense of dirt free & sanitized operations.
- ▶ Interchangeable general sections (head/leg).

OPERATION TABLE HYDRAULIC

Model No: ZSE: A126



FEATURE

- ▶ Hydraulic and Mechanical Operated.
- ▶ Centric base made from high quality stainless steel.
- ▶ Leg & Head section are interchangeable.
- ▶ Centric pillars, Stainless fitting.
- ▶ Detachable head, leg and pelvic section.
- ▶ inbuilt kidney bridge.
- ▶ Base and cover made of attractive, easy to clean stainless steel.
- ▶ Sophisticated mechanics provide smooth, step less articulation of the table top for precise patient positioning

LED O.T LIGHT

OT LIGHT 50+40

Model No: ZSE: A127



TECHNICAL DATA

- ▶ Light Intensity (Luminous): 160000+140000 LUX
- ▶ No of LED: 50+40
- ▶ Power Consumption: 90 Watt
- ▶ Colour Rendering Index (CRI): 93 to 95 RA
- ▶ Colour Temperature: 4200 to 5000K
- ▶ Light Field Diameter: 150mm or more
- ▶ Focus Depth: 150 to 250mm
- ▶ Dome Diameter: 475mm
- ▶ Input voltage: 220-230 volt
- ▶ LED Average Life: 50000 Hrs

OT LIGHT N5+N4

Model No: ZSE: A128



TECHNICAL DATA

- ▶ Intensity: 1,40,000 + 1,30,000 Lux
- ▶ Size of Light Field: 12-30 cm
- ▶ Colour Temperature: 4000-5000K
- ▶ Colour Rendering Index: 93 RA
- ▶ LED Life: >50000 Hrs.
- ▶ Number of LED: 105 + 84
- ▶ Diameter of Light: 600mm x 2
- ▶ Brightness Control: Capacitive Touch Panel
- ▶ Power Supply: 220V/50Hz AC
- ▶ Colour of LED: White & Yellow (Double Colour)
- ▶ Focusing: Adjustable

OT LIGHT 56

Model No: ZSE: A129



TECHNICAL DATA

- ▶ Light Intensity (Luminous) 180000 LUX
- ▶ No of LED 56
- ▶ Power Consumption 56 Watt
- ▶ Colour Rendering Index (CRI) 93 to 95 RA
- ▶ Colour Temperature 4200 to 5000K
- ▶ Light Field Diameter 150mm or more
- ▶ Focus Depth 150 to 250mm
- ▶ Dome Diameter 475mm
- ▶ Input voltage 220-230 volt
- ▶ LED Average Life 50000 Hrs

LED O.T LIGHT

OT LIGHT H4+H4

Model No: ZSE: A130



TECHNICAL DATA

- ▶ Intensity 1,10,000 + 1,10,000 Lux
- ▶ Size of Light Field 12-30 cm
- ▶ Colour Temperature 4000-5000
- ▶ K Colour Rendering Index 93 RA
- ▶ LED Life >50000 Hrs.
- ▶ Number of LED 76 + 76
- ▶ Diameter of Light 500mm x 2
- ▶ Brightness Control Capacitive Touch
- ▶ Panel PowerSupply 220V/50Hz AC
- ▶ Colour of LED White & Yellow (Double Colour)
- ▶ Focusing Adjustable

OT LIGHT 32

Model No: ZSE: A131



TECHNICAL DATA

- ▶ Light Intensity (Luminous): 130000 LUX
- ▶ No of LED: 32
- ▶ Power Consumption: 32 Watt
- ▶ Colour Rendering Index (CRI): 93 to 95 RA
- ▶ Colour Temperature: 4200 to 5000K
- ▶ Light Field Diameter: 150mm or more
- ▶ Focus Depth: 150 to 250mm
- ▶ Dome Diameter: 475mm

OT LIGHT 48

Model No: ZSE: A132



TECHNICAL DATA

- ▶ Light Intensity (Luminous) 150000 LUX
- ▶ No of LED 48
- ▶ Power Consumption 48 Watt
- ▶ Colour Rendering Index (CRI) 93 to 95 RA
- ▶ Colour Temperature 4200 to 5000K
- ▶ Light Field Diameter 150mm or more
- ▶ Focus Depth 150 to 250mm
- ▶ Dome Diameter 475mm
- ▶ Input voltage 220-230 volt
- ▶ LED Average Life 50000 Hrs

LED O.T LIGHT

OT LIGHT 56+48 Model No: ZSE: A133



TECHNICAL DATA

- ▶ Light Intensity (Luminous): 180000+150000 LUX
- ▶ No of LED: 56+48
- ▶ Power Consumption: 104 Watt
- ▶ Colour Rendering Index (CRI): 93 to 95 RA
- ▶ Colour Temperature: 4200 to 5000K
- ▶ Light Field Diameter: 150mm or more
- ▶ Focus Depth: 150 to 250mm
- ▶ Dome Diameter: 475mm

OT LIGHT 56 + 56 Model No: ZSE: A134



TECHNICAL DATA

- ▶ Light Intensity (Luminous): 180000+180000 LUX
- ▶ No of LED 56+56: Power Consumption 112 Watt
- ▶ Colour Rendering Index (CRI): 93 to 95 RA
- ▶ Colour Temperature: 4200 to 5000K
- ▶ Light Field Diameter: 150mm or more
- ▶ Focus Depth: 150 to 250mm
- ▶ Dome Diameter: 475mm
- ▶ Input voltage: 220-230 volt

EXAMINATION LIGHT Model No: ZSE: A135



TECHNICAL DATA

- ▶ Intensity 55,000 Lux
- ▶ Size of Light Field 125mm
- ▶ Colour Temperature 4500-5000 K
- ▶ Colour Rendering Index 93 RA
- ▶ LED Life >50000 Hrs.
- ▶ Number of LED 21
- ▶ Brightness Control Touch
- ▶ Diameter of Light 150mm
- ▶ Power Supply 220V/50Hz AC

O.T PENDANT

Model No: ZSE: A136



SPECIFICATION

- ▶ Material High strength aluminium alloy or customized
- ▶ Length of the arms: One: 750mm; Two: 750mm
- ▶ Loading capability One 150kg
- ▶ Equipment drawer 1 pcs or customized
- ▶ Infusion sets include sets sockets, infusion pump, infusion poles, etc.
- ▶ Power Input 220V, 50 60hz or Customized
- ▶ Gas outlets standard: PB/BS/DIN/Parkdex.
- ▶ Rotary degree 330 degrees in each joint
- ▶ Ceiling mounted according to customers requirements
- ▶ Power Sockets 6 pcs
- ▶ Communication System RJ45 11 Pcs; RJ15 (1Pcs)
- ▶ Finishing antibacterial Powder.

Single arm motorized medical pendant is mainly used in the operating rooms, Intensive care units Emergency rooms, etc. to supply medical gases, Electrical power, Communication Ports, and to load the medical equipment such as patient monitors, infusion pumps, surgical instruments, endoscopy equipments, etc.



Single Arm



Double Arm

ANAESTHESIA TROLLEY

ANAESTHESIA SYSTEMS ECONOMY M.S 291

Model No: ZSE: A137

Description:

- ▶ Two gases Rotameter Oxygen & Nitrous-oxide.
- ▶ Oxygen flowmeter range 100cc/min To 100 litres/min nitrous-oxide flow meter. Range 200cc/ min to 12 litres/min.
- ▶ Goldman type Halothane Vaporizer.
- ▶ Parking space for one additional vaporizer.
- ▶ Non-Return cum pressure relief valve to minimize risk of back flow of Gases.
- ▶ 50mm Oxygen/gauges.
- ▶ 50mm Nitrous-oxide gauges.



ANAESTHESIA SYSTEMS ECONOMY S.S 291

Model No: ZSE: A138

Description:

- ▶ Two gases Rotameter Oxygen & Nitrous-oxide.
- ▶ Oxygen flowmeter range 100cc/min. To 10 litres/min 12 litres/min.
- ▶ Standard fresh gas outlet.
- ▶ Change over system open circuit to close circuit.
- ▶ Emergency flush valve at front panel connected
- ▶ Goldman type halothane vaporizers.
- ▶ parking space for two additional vaporizers.
- ▶ non return cum pressure relief valve minimize risk of back flow of gases.
- ▶ blows off valve when pressure exceeds 200 cm of water column fitted.
- ▶ provision to fit ventilator.
- ▶ provision to fit carbon at rear for two 'B' Type cylinder.
- ▶ Table top made of stainless steel.
- ▶ top tray at eye level to keep monitoring instrument.
- ▶ maggill's circuit or bains circuit.
- ▶ one spacious drawer on smooth runner.
- ▶ four castor trolley with front two lockable wheels.
- ▶ pin index yokex two for oxygen & two for notrous oxide.



INSTRUMENT TROLLEY



MAYO'S INSTRUMENT TROLLEY

Model No: ZSE: A139

Description:

- ▶ Overall approx. dimension: 550 mm L x 500 mm W
- ▶ SS Tray approx. dimension: 550 mm L x 415 mm W
- ▶ Stainless steel tubular framework
- ▶ Four castors 50 mm dia, without brake

MAYO'S INSTRUMENT TROLLEY HEIGHT ADJUSTABLE BY GEAR

Model No: ZSE: A140

Description:

- ▶ Overall approx. dimension: 1315 mm L x 620 mm W
- ▶ Tray height adjustment with SS handle: 910 mm to 1215 mm (approx.)
- ▶ SS Tray approx. dimension: 1065 mm L x 610 mm W
- ▶ Framework made from MS and SS tubes
- ▶ Four heavy duty castors 125 mm dia, two with brake.
- ▶ Pretreated and powder coated finish



MONITOR TROLLEY

Model No: ZSE: A141

Description:

- ▶ Overall approx. dimension: Five shelves approx. dimension: 610 mm L x 510 mm D
- ▶ Drawer approx. dimension: 600 mm L x 450 mm D
- ▶ Construction made from mild steel tubes and sheets
- ▶ Electrical panel board having eight sockets and switches
- ▶ Oxygen Cylinder Holder – MS powder coated
- ▶ Four heavy duty castors 125 mm dia, two with brake
- ▶ Pretreated and powder coated finish

SURGICAL CAUTERY MACHINE

DIGITAL CAUTERY MACHINE 400W

Model No: ZSE: A142



TECHNICAL DATA

Description:	Max.Power (Watts)	Rated Load (OHMS)
Output Frequency -	Monopolar Generator	500 + 25 kHz
Cut Control (Pure) -	400 Watts	500 Ohms Load
Cut Control (Blend-II)-	300 Watts	500 Ohms Load
Cut Control (Blend-I) --	225 Watts	500 Ohms Load
Coag Control -	160 Watts	500 Ohms Load
Bipolar Coag -	100 Watts	125 Ohms Load
Spray Coag -	100 Watts	125 Ohms Load
Input Voltage		- 220 -240 Volts AC 50 Hz
Power Consumption		- 750 VA approx
Dimensions		- (WxDxH)mm
Weight		- 12 Kg approx

400W HFC SEMI DIGITAL

Model No: ZSE: A143



TECHNICAL DATA

Description:	
Output Frequency	Mono Polar Generator 500 KHZ + 250 HZ
Pure Cut	400 Watts of 500 Ohms Load
Blend II Cut	300 Watts of 500 Ohms Load
Blend I Cut	225 Watts of 500 Ohms Load
Coagulation	160 Watts of 500 Ohms Load
Bipolar Coag	100 Watts of 125 Ohms Load
Spray Coag	100 Watts of 125 Ohms Load

250W HFC SEMI DIGITAL SURGERY CAUTERY

Model No: ZSE: A144



TECHNICAL DATA

Description:	
Read Frequency	450KHZ
Pure Cut : HF Voltage wave form	Unmodulated Sinusoidal
Blend Cut : HF Voltage wave form	Modulated Sinusoidal
Max HF Power	250 watt/500 Ohms Load
Monopolar Coag : Max HF Power	160 watt/500 Ohms Load
Wave Form	Modulated Sinusoidal
Bipolar Cut : Max HF Power	100 watt/125 Ohms Load
Wave Form	Modulated Sinusoidal
Blend : Max HF Power	80 watt/15 Ohms Load
Wave Form	Amplitude Modulated Sinusoidal
Bipolar Coag : Max HF Power	80 watt/125 Ohms Load
Wave Form	HF Modulated Sinusoidal

NEEDLE DESTROYER

NEEDLE DESTROYER ELECTRIC

Electrical Needle & Syringe Destroyer – Economical, Sturdy, Simple to operate Sharp Steel Blade Portable. Needle Syringe Destroyer with 3 in 1 operation in single body i.e. burning of needle cutting of syringes and manual cutting of needle are also provided in case of electricity failure. Our machine has strong Metal Body with powder coating for longer life.



SINGLE STAGE

Model No:
ZSE: A145



DOUBLE STAGE

Model No:
ZSE: A146



TRIPLE STAGE

Model No:
ZSE: A147

NEEDLE DESTROYER MANUAL



Model No:
ZSE: A148

Destroys Syringe Hub & Needle in Single Action Stops Reuse of Needles and Syringes Saves Healthcare Professional from Needle Stick Injuries. No Electricity Required. No Burning, No Fumes, No Noise, No Smell



Model No:
ZSE: A149

Manual syringe destroyer is a device which is helpful for cutting the needle and the syringe fully where the needle has to be inserted into small orifice and we should squeeze the handle swiftly until the nozzle is cut. This is one of the safe way to destroy needles after it is used.



Model No:
ZSE: A150

Manual Needle Destroyer - MS Product Features:-Its Body Made Of Stainless Steel / ABS The Upper Lid Made Of Virgin Plastic The Syringe Hub Needle Gets Cut Off By A Sharp Blade By Pulling The Handle. It Has Separate Holes For Inserting Needles & Syringe Hub. No Electricity Requirement It Is Economic.

COMMODE SQUARE TOP

Model No: ZSE: A151

FEATURE

- ▶ Available Colors: Orange, Blue, Green, Yellow & Purple.
- ▶ Maximum weight capacity 95kg.
- ▶ suitable for all, elderly people, physically challenged people, handicap persons, hospitalized persons.



COMMODE ROUND TOP

Model No: ZSE: A152

FEATURE

- ▶ Available Colors: Orange, Blue & Green.
- ▶ Maximum weight capacity 85kg.
- ▶ suitable for all, elderly people, physically challenged people, handicap persons, hospitalized persons.



COMMODE HALF BACK

Model No: ZSE: A153

FEATURE

- ▶ Available Colors: Orange, Blue, Green, Yellow & Purple.
- ▶ Maximum weight capacity 105kg.
- ▶ suitable for all, elderly people, physically challenged people, handicap persons, hospitalized persons.



COMMODE WITHOUT HANDLE



Model No: ZSE: A154

FEATURE

- ▶ Available Colors: Orange, Blue, & Green.
- ▶ Maximum weight capacity 90kg.
- ▶ suitable for all, elderly people, physically challenged people, handicap persons, hospitalized persons.



COMMODE WITH SS HANDLE



Model No: ZSE: A155

FEATURE

- ▶ Available Colors: Orange, Blue & Green.
- ▶ Maximum weight capacity 85kg.
- ▶ suitable for all, elderly people, physically challenged people, handicap persons, hospitalized persons.



COMMODE WITH PLASTIC HANDLE



Model No: ZSE: A153

FEATURE

- ▶ Available Colors: Orange, Blue, Green, Yellow & Purple.
- ▶ Maximum weight capacity 105kg.
- ▶ suitable for all, elderly people, physically challenged people, handicap persons, hospitalized persons.



COMMODE WITH PLASTIC HANDLE

Model No: ZSE: A154

FEATURE

- ▶ Available Colors: Orange, Blue, & Green.
- ▶ Maximum weight capacity 90kg.
- ▶ suitable for all, elderly people, physically challenged people, handicap persons, hospitalized persons.



COMMODE COMPACT (WITH BUCKET)

Model No: ZSE: A155

FEATURE

- ▶ Available Colors: Orange, Blue & Green.
- ▶ Maximum weight capacity 85kg.
- ▶ suitable for all, elderly people, physically challenged people, handicap persons, hospitalized persons.



COMMODE ALPHA

Model No: ZSE: A153

FEATURE

- ▶ Available Colors: Orange, Blue, Green, Yellow & Purple.
- ▶ Maximum weight capacity 105kg.
- ▶ suitable for all, elderly people, physically challenged people, handicap persons, hospitalized persons.



COMMODE ULTRA



Model No: ZSE: A160

FEATURE

- ▶ Available Colors: Orange, Blue, & Green.
- ▶ Maximum weight capacity 90kg.
- ▶ suitable for all, elderly people, physically challenged people, handicap persons, hospitalized persons.



COMMODE DELUXE



Model No: ZSE: A161

FEATURE

- ▶ Available Colors: Orange, Blue & Green.
- ▶ Maximum weight capacity 85kg.
- ▶ suitable for all, elderly people, physically challenged people, handicap persons, hospitalized persons.



COMMODE JUMBO
Model No: ZSE: A162



FEATURE

- ▶ Available Colors: Purple.
- ▶ Maximum Weight capacity 140kg.
- ▶ suitable for all, elderly people, physically challenged people, handicap persons, hospitalized persons.

COMMODE (WITH HEIGHT ADJUST)
Model No: ZSE: A163



FEATURE

- ▶ Available Colors: Purple.
- ▶ Maximum Weight capacity 125kg.
- ▶ suitable for all, elderly people, physically challenged people, handicap persons, hospitalized persons.

COMMODE (WITH HEIGHT ADJUST) (WITH OR WITHOUT WHEEL)
Model No: ZSE: A164



FEATURE

- ▶ Available Colors: Purple.
- ▶ Maximum Weight capacity 110kg.
- ▶ suitable for all, elderly people, physically challenged people, handicap persons, hospitalized persons.

COMMODE POT AND BUCKET

Model No: ZSE: A165



FEATURE

- ▶ Available Colors: Orange, Blue, & Green.
- ▶ Maximum weight capacity 90kg.
- ▶ suitable for all, elderly people, physically challenged people, handicap persons, hospitalized persons.

QUARDIPOD & TRIPOT STICK (WITH ADJUSTABLE HEIGHT)

Model No: ZSE: A166



FEATURE

- ▶ Available Colors: Orange, Blue & Green.
- ▶ suitable for all, elderly people, physically challenged people, handicap persons, hospitalized persons.



QUARDIPOD & TRIPOT STICK (WITH ADJUSTABLE HEIGHT)

Model No: ZSE: A166



FEATURE

- ▶ Available Colors: Orange, Blue & Green.
- ▶ suitable for all, elderly people, physically challenged people, handicap persons, hospitalized persons.



SINGLE STICKS (WITH ADJUSTABLE HEIGHT)

Model No: ZSE: A168



FEATURE

- ▶ Available Colors: Orange, Blue, & Green.
- ▶ suitable for all, elderly people, physically challenged people, handicap persons, hospitalized persons.

WALKER WITHOUT WHEELS & WITH WHEELS

Model No: ZSE: A169



FEATURE

- ▶ suitable for all, elderly people, physically challenged people, handicap persons, hospitalized persons.

BABY CARE EQUIPMENT



BABY BASSINET 62

Model No: ZSE: A170

Description:

- ▶ CRCA/Stainless steel structure
- ▶ Pushing handle
- ▶ Removable and anatomic laminated plastic basket
- ▶ Mounted on of 80mm dia Castors
- ▶ Dimensions: 80x48x85Hcm

BABY BASSINET 63

Model No: ZSE: A171

Description:

- ▶ CRCA/Stainless steel structure
- ▶ Pushing handle
- ▶ Removable and anatomic laminated plastic basket
- ▶ Mounted on of 80mm dia Castors
- ▶ Dimensions: 80x48x85Hcm



BABY CRADLE

Model No: ZSE: A172

Description:

- ▶ Overall approx. dimension: 850 mm L x 570 mm W X 835 mm H
- ▶ Crib made from mild steel tubes, rods and perforated sheet
- ▶ Crib swings on two vertical tubes
- ▶ Mild steel tubular trolley fitted with PVC Stumps
- ▶ Pre-treated and powder coated finish

BABY WARMER

MICRO PROCESSOR BASED RADIANT HEAT WARMER

Model No: ZSE: A173

Description:

- ▶ Micro Processor base control
- ▶ Fiber Base
- ▶ PU Sole Wheel
- ▶ Round Acrylic sides with slide down
- ▶ Round Baby Bed
- ▶ LED Examination Light
- ▶ PT 100 Sensor

Safety Feature:

- ▶ Sensor: Air Sensor, Skin Sensor
- ▶ Alarm: Low Temp. Audio Visual, High Temp.
- ▶ Audio Visual, Power Fail
- ▶ Audio Visual
- ▶ Heater Cut off: 100% to 0% in 10% each Interval
- ▶ Display: 50mm skin LED 25mm air LCD display
- ▶ Power Consumption: 750 Watt/220 V Ac
- ▶ Special Feature: Upgar count down timer with display



MICRO PROCESSOR BASED RADIANT HEAT WARMER

Model No: ZSE: A174

Description:

- ▶ Micro Processor base control
- ▶ Fiber Base
- ▶ PU Sole Wheel
- ▶ Drop Down Sides
- ▶ LED Examination Light

Safety Feature:

- ▶ Sensor: PT100
- ▶ Alarm: Low Temp. Audio Visual, High Temp. Audio Visual,
- ▶ Power Fail Audio Visual
- ▶ Heater Cut off: From 100% to 75%-50%, 25%- Off
- ▶ Display: 50 mm LED for Actual & Set Temp



BABY WARMER



MICRO PROCESSOR BASED RADIANT HEAT WARMER

Model No: ZSE: A175

Safety Feature:

- ▶ Sensor: Skin Sensor
- ▶ Alarm: High Temp. Audio Visual, Power Fail Audio Visual
- ▶ Heater Cut off: Direct at set point
- ▶ Display: 50mm LED Skin
- ▶ Power Consumption: 750 Watt/220 V Ac

MICRO PROCESSOR BASED RADIANT HEAT WARMER

Model No: ZSE: A176

Safety Feature:

- ▶ Sensor: Air Sensor, Skin Sensor
- ▶ Alarm: High Temp. Audio Visual, Power Fail Audio Visual
- ▶ Heater Cut off: Direct at set point
- ▶ Display: 50mm LED Skin
- ▶ Power Consumption: 750 Watt/220 V Ac



BABY WARMER

MICRO PROCESSOR BASED SKIN & MANUAL CONTROL OF TEMPERATURE

Model No: ZSE: A177

Description:

- | | |
|---------------------------|----------------|
| ▶ Heater | Ceramic 600 w |
| ▶ Skin temp setting range | 32° C to 37° C |
| ▶ Display setting range | 28° C to 40° C |
| ▶ Alarms. | |
| -Power Fail | audio/visual |
| -Temp.High | audio/visual |
| -Temp. Low | audio/visual |
| -Heater Fail | audio/visual |
| -Sensor Fail | audio/visual |

Safety Feature:

- | | |
|------------------------|------------------------------------|
| ▶ Mattress | Pressure PU foam |
| ▶ Upgar Timer | Yes |
| ▶ IV Stand | Telescopic stainless steel |
| ▶ Temp. Probe | PT 100 |
| ▶ Baby bed | Tray made of stainless steel |
| ▶ Heater cutoff method | 0 to 100% in 10% in each. interval |
| ▶ Wheel. | 100mm PU sole with 2 brake 2 Plain |



MICRO PROCESSOR BASED SKIN & CONTROL OF TEMPERATURE

Model No: ZSE: A178

Description:

- | | |
|---------------------------|----------------|
| ▶ Heater | Ceramic 600 w |
| ▶ Skin temp setting range | 32° C to 37° C |
| ▶ Air Temp. setting range | 28° C to 37° C |
| ▶ Display setting range | 28° C to 40° C |
| ▶ Alarms. | |
| -Power Fail | audio/visual |
| -Temp.High | audio/visual |
| -Temp. Low | audio/visual |
| -Heater Fail | audio/visual |
| -Sensor Fail | audio/visual |

Safety Feature:

- | | |
|------------------------|------------------------------------|
| ▶ Mattress | Pressure PU foam |
| ▶ Upgar Timer | (Optional) |
| ▶ IV Stand | Telescopic stainless steel |
| ▶ Temp. Probe | PT 100 |
| ▶ Baby bed | Tray round made of fiber |
| ▶ Heater cutoff method | 0 to 100% in 10% in each. interval |
| ▶ Wheel. | 100mm PU sole with 2 brake 2 Plain |



BABY WARMER

MICRO PROCESSOR BASED SKIN & AIR SERVO CONTROL OF TEMPERATURE

Model No: ZSE: A179

Description:

- | | |
|---------------------------|------------------------------|
| ▶ Heater | Ceramic / quartz 600 w |
| ▶ Skin temp setting range | 32° C to 37° C |
| ▶ Air Temp. setting range | 28° C to 37° C |
| ▶ Display setting range | 28° C to 40° C |
| Alarms. | |
| -Power Fail | audio/visual |
| -Temp.High | audio/visual |
| -Temp. Low | audio/visual |
| -Heater Fail | audio/visual (Optional) |
| -Sensor Fail | audio/visual |
| ▶ Mattress | Pressure PU foam |
| ▶ Upgar Timer | (Optional) |
| ▶ IV Stand | Telescopic stainless steel |
| ▶ Temp. Probe | PT 100 |
| ▶ Baby bed | Tray made of stainless steel |
- Heater cutoff method 0 to 100% in 10% each. bar Wheel.
100mm PU sole with 2 brake 2 plain.

NORMAL



DELUXE

Model No: ZSE: A180

With Additional Feature

- ▶ Baby Bassinet will tilt with Gas Spring.
- ▶ Complete Warmer in Single Color.
- ▶ Complete Warmer in Mild Steel.
- ▶ Baby Bassinet is Bigger in size.



BABY WARMER

MICRO PROCESSOR BASED SKIN & MANUAL CONTROL OF TEMPERATURE

Model No: ZSE: A181

Description:

- | | |
|---------------------------|-------------------------|
| ▶ Heater | Ceramic / quartz 600 w |
| ▶ Skin temp setting range | 32° C to 37° C |
| ▶ Display setting range | 28° C to 40° C |
| ▶ Alarms. | |
| - Power Fail | audio/visual |
| - Temp. High | audio/visual |
| - Temp. Low | audio/visual |
| - Heater Fail | audio/visual (Optional) |
| - Sensor Fail | audio/visual |

Safety Feature:

- | | |
|------------------------|--|
| ▶ Mattress | Pressure PU foam (Optional) |
| ▶ Upgar Timer | Telescopic stainless steel |
| ▶ IV Stand | PT 100 |
| ▶ Temp. Probe | Tray round made of fiber |
| ▶ Baby bed | 0 to 100% in 10% in each. interval |
| ▶ Heater cutoff method | 100mm PU sole with 2 brake 2 Plain |
| ▶ Wheel. | Built in phototherapy 450mm wave length. |
| ▶ Phototherapy | |



**Trusted
Professionals,
Caring for Your Baby.**

BABY WARMER

MICRO PROCESSOR BASED SKIN & MANUAL CONTROL OF TEMPERATURE

Description:

- | | |
|---------------------------|-------------------------------------|
| ▶ Heater | Ceramic / quartz 600 w |
| ▶ Skin temp setting range | 32° C to 37° C |
| ▶ Display setting range | 28° C to 40° C |
| ▶ Alarms. | |
| -Power Fail | audio/visual |
| -Temp.High | audio/visual |
| -Temp. Low | audio/visual |
| -Heater Fail | audio/visual (Optional) |
| -Sensor Fail | audio/visual |
| ▶ Mattress | Pressure PU foam |
| ▶ Upgar Timer | (Optional) |
| ▶ IV Stand | Telescopic stainless steel |
| ▶ Temp. Probe | PT 100 |
| ▶ Baby bed | Tray made of stainless steel |
| ▶ Heater cutoff method | 0 to 100% in 10% in each.interval |
| ▶ Wheel. | 100mm PU sole eith 2 brake 2 plain. |



Model No: ZSE: A182



Model No: ZSE: A183

BABY WARMER



SIMPLE RADIANT HEAT WARMER SINGLE DELUXE

Model No: ZSE: A184

Description:

- ▶ Sensor
 - Skin Sensor
- ▶ Alarm
 - High Temp. audio Visual
 - Low Temp. Audio Visual
 - Power fail audio Visual
- ▶ Display
 - 50mm LED Skin
- ▶ Heater cut off method
 - 0 to 100% in Equat in each. Interval
- ▶ Heater
 - Ceramic 650 watt.
- ▶ Baby Tray
 - Can swing both side
- ▶ IV stand
 - telescopic type
- ▶ Acrylic side
 - 6mm slide down style

SIMPLE RADIANT HEAT WARMER DUAL SENSOR DELUXE

Model No: ZSE: A185

Description:

- ▶ Sensor
 - Skin Sensor
 - Air Sensor
- ▶ Alarm
 - High Temp. audio Visual
 - Low Temp. Audio Visual
 - Power fail audio Visual
- ▶ Diplay
 - 50mm LED Skin & Air
- ▶ Heater Cutoff method
 - 0 to 100% in Equal in each. Interval
- ▶ Heater
 - Ceramic 650 watt.
- ▶ Baby Tray
 - Can swing both side
- ▶ IV Stand
 - telescopic type
- ▶ Acrylic side
 - 6mm slide down style
- ▶ Wheel
 - 100mm PU Sole 2 Plain 2 with Brakes



BABY WARMER



SINGLE SENSOR (PLAIN)

Model No: ZSE: A186

Description:

- | | |
|----------------------------|--|
| ▶ Sensor | Skin Sensor |
| ▶ Alarm | High Temp. Audio Visual
Power Fail Audio Visual |
| ▶ Heater Cut off | Direct at set point |
| ▶ Display | 50mm LED Skin |
| ▶ Power Consumption | 750 Watt/220 V AC |
| ▶ Heater | Quartz (glass tube type) 650 watt |

DUAL SENSOR (PLAIN)

Model No: ZSE: A187

Description:

- | | |
|----------------------------|---|
| ▶ Sensor | Skin Sensor |
| ▶ Alarm | Skin Sensor
High Temp. Visual
Power Fail Audio Visual |
| ▶ Heater Cut off | Direct at set point |
| ▶ Display | 50mm LED Skin & Air |
| ▶ Power Consumption | 750 Watt/220 V AC |
| ▶ Heater | Quartz (glass tube type) 650 watt |



LED PHOTOTHERAPY (PLAIN)

► Phototherapy is Treatment with a special type of light its sometimes used to treatment new born jaundice by down and remove the bilirubin from the baby;s blood it is required above 450mm light intensity.



SINGLE SURFACE PHOTOTHERAPY (PLAIN)

Model No: ZSE: A188

Description:

- 10 led blue with high power lens
- Complete stainless steel stand
- Baby basinet with drop-down sides
- 50mm high quality wheel

DOUBLE SURFACE PHOTOTHERAPY (PLAIN)

Model No: ZSE: A189

Description:

- 10 LED blue with high power lens in upper & lower unit.
- Complete stainless steel stand.
- Baby basinet with drop-down sides.
- 50mm high quality wheel.



LED PHOTOTHERAPY WITH SINGLE TIME TOTALIZER

► Phototherapy is Treatment with a special type of light its sometimes used to treatment new born jaundice by down and remove the bilirubin from the baby;s blood it is required above 450mm light intensity.



SINGLE SURFACE PHOTOTHERAPY WITH SINGLE TIME TOTALISER

Model No: ZSE: A190

Description:

- 10 led blue with high power lens
- Complete stainless steel stand
- Baby basinet with drop-down sides
- 50mm high quality wheels
- Digital Display shows the treatment time of the baby

DOUBLE SURFACE PHOTOTHERAPY WITH SINGLE TIME TOTALISER

Model No: ZSE: A191

Description:

- 10 led blue with high power lens in upper & lower unit
- Complete stainless steel stand
- Baby basinet with drop-down sides
- 50mm high quality wheels
- Digital Display shows the treatment time of the baby



MICRO PROCESSOR BASED SKIN SERVO INFANT INCUBATOR



**INFANT INCUBATOR
WITH TROLLEY**

Model No: ZSE: A192



**INFANT INCUBATOR
WITH 3 DROWERS**

Model No: ZSE: A193

Description:

DUAL CHECK SYSTEM BY :

- I. Skin Probe
- ii. Air Probe

DIGITAL TEMPERATURE CONTROL

- Digital display of selected & actual temp.
- Platinum PT-100 sensor
- Accuracy of temperature reading- 100% actual
- Visual power on and heater two with brakes two plain

WHEELS

4" (100mm) PU sole Wheels two with Brakes two plain

ALARM

- Over Temperature Alarm.....Audio & Visual
- Power Failure Alarm.....Audio & Visual
- High and low temperature.....Audio & Visual
- Sensor Failure Alarm.....Audio & Visual

ANESTHESIA WORKSTATION & OTHER ICU PRODUCTS



**ANESTHESIA WORKSTATION
& TROLLEY**

Model No: ZSE: A194



**VENTILATOR
MACHINE**

Model No: ZSE: A195



**OXYGEN
CONCENTRATORS**

Model No: ZSE: A196



SYRINGE PUMP

Model No: ZSE: A197



**BI-PAP & C-PAP
MACHINE**


Model No: ZSE: A198

**YOUR OWN, ONE STOP SOLUTION
FOR ALL SURGICAL EQUIPMENT.**



C.T SCAN MACHINE

Model No: ZSE: A199



M.R.I SCAN MACHINES

Model No: ZSE: A200



**LAPROSCOPY & ENDOSCOPY
EQUIPMENT & INSTRUMENTS**

Model No: ZSE: A201



X-RAY MACHINE

Model No: ZSE: A202



C-ARM MACHINES

Model No: ZSE: A203



FETAL MACHINE & C.T.G MACHINE

Model No: ZSE: A204

ECG MACHINE & PATIENT MONITOR

FEATURE

- ▶ Sync collection for 12-lead ECG, adopt digital signal processing technology and get high-quality.
- ▶ ECG waveform via power frequency filter, baseline filter and EMG filter of ECG signal.
- ▶ Multiply printing modes and formats, including manual, auto.
- ▶ paper speed: 5mm/s, 6.25mm/s, 10mm/s, 12.5mm/s, 50mm/s.
- ▶ Built-in large capacity memory, convenient for case review and statistic.



3 CHANNEL

Model No: ZSE: A205



6 CHANNEL

Model No: ZSE: A206



12 CHANNEL

Model No: ZSE: A207

FEATURE

- ▶ Suitable for adult, pediatric and neonatal patient
- ▶ Applicable for medicine, surgery, ICU/CCU, emergency room, pediatrics, obstetrics, and gynecology.
- ▶ 2.8" high brightness TFT LCD display
- ▶ Parameters: NIBP, SpO2 and pulse rate
- ▶ High brightness LED display of NIBP, SpO2 and pulse rate with red and yellow highlight LED
- ▶ Memory: Built-in Flash Memory
- ▶ Up to 2000 groups NIBP data storage and 78000 groups SpO2 data storage for up to 48 hours.
- ▶ Powerful data storage and management (including trend table)
- ▶ Adjustable Visual and Audio alarms
- ▶ Built-in rechargeable Li-polymer battery backup (upto 4-6 hrs of working)
- ▶ Can be used for indoor and outdoor monitoring



3 PARA MONITOR

Model No: ZSE: A208



3 PARA MONITOR

Model No: ZSE: A209



5 PARA MONITOR

Model No: ZSE: A210



5 PARA MONITOR

Model No: ZSE: A211

ORTHOPEDIC IMPLANTS

UPPER LIMB

Model No: ZSE: A212



CLAVICLE LOCKED PLATE
(LEFT & RIGHT)



CLAVICLE HOOK LOCKED
PLATE (LEFT & RIGHT)



CLAVICLE SUPERIOR ANTERIOR
MEDICAL LATERAL LOCKED
PLATE (LEFT & RIGHT)



CLAVICLE SUPERIOR ANTERIOR
DISTAL LOCKED PLATE
(LEFT & RIGHT)



PROXIMAL HUMERUS
MULTIPLE
LOCKED PLATE



PROXIMAL HUMERUS MULTIPLE
LOCKED PLATE (LEFT & RIGHT)
SUTURE OPTION



ANATOMICAL PROXIMAL
HUMERUS LOCKED PLATE
(LEFT & RIGHT)



LOW PROFILE PROXIMAL
HUMERUS LOCKED PLATE
(LEFT & RIGHT)



DISTAL MEDICAL HUMERUS
LOCKED PLATE
(LEFT & RIGHT)



LATERAL POSTERIOR DISTAL
HUMERUS LOCKED PLATE
(LEFT & RIGHT)



ANATOMICAL DISTAL
HUMERUS LOCKED PLATE
(LEFT & RIGHT)



EXTRA ARTICULAR DISTAL
HUMERUS LOCKED PLATE
(LEFT & RIGHT)



PROXIMAL HUMERAL
PLATE AP FLANGE LARGE
(LEFT & RIGHT)



PROXIMAL HUMERAL PLATE
SAP FLANGE LARGE LOCKED
PLATE (LEFT & RIGHT)



PROXIMAL HUMERAL PLATE
FLANGE LOCKED PLATE
(LEFT & RIGHT)



OLECRANON LOCKED
PLATE

ORTHOPEDIC IMPLANTS

UPPER LIMB



**Z OLECRANON LOCKED
PLATE (LEFT & RIGHT)**



**OLECRANON ANATOMICAL
LOCKED PLATE**



**RADIAL HEAD NECK
LOCKED PLATE**



**RADIAL HEAD RIM
LOCKED PLATE**



**DYNAMIC COMPRESSION
LOCKED PLATE
(DCP) NARROW**



**T-OBLIQUE LOCKED PLATE
(LEFT & RIGHT)**



**2.4 MM VARIABLE ANGLE
LOCKED PLATE**



**DISTAL RADIUS LOCKED
PLATE**



**VOLAR EXTRA ARTICULAR
STANDARD LOCKED
PLATE (LEFT & RIGHT)**



**VOLAR JUXTA ARTICULAR
STANDARD LOCKED PLATE
(LEFT & RIGHT)**



**DORSAL DISTAL RADIUS
OBLIQUE L-LOCKED PLATE
(LEFT & RIGHT)**



**DORSAL DISTAL RADIUS
T-LOCKED PLATE**



**DISTAL ULNA
LOCKED PLATE**



**WRIST STRAIGHT
FUSION
LOCKED PLATE**



**WRIST CURVED
FUSION
LOCKED PLATE**



**ANATOMICAL DISTAL RADIUS
LOCKED PLATE VARIABLE ANGLE
(HEAD 8 HOLES) VOLAR COLUMN
(LEFT & RIGHT)**



**DISTAL RADIUS LOCKED PLATE
VARIABLE ANGLE (TWO COLUMN)
(LEFT & RIGHT)**

ORTHOPEDIC IMPLANTS

LOWER LIMB **Model No: ZSE: A213**



PROXIMAL FEMUR LOCKED
PLATE (LEFT & RIGHT)



PROXIMAL FEMUR LOCKED
PLATE (LEFT & RIGHT) T1



TROCHANTERIC FEMUR
LOCKED PLATE



TROCHANTERIC SUPPORT
LOCKED PLATE



FEMUR NECK LOCKED
PLATE



DHS LOCKED PLATE



DHS LOCKED PLATE



DISTAL FEMUR LOCKE
PLATE (LEFT & RIGHT)



FEMORAL CONDYLAR
BUTTRESS LOCKED PLATE



DISTAL MEDIAL FEMUR
LOCKED PLATE



DISTAL FEMUR OSTEOLOGY
LOCKED PLATE (LEFT & RIGHT)



LATERAL TIBIA HEAD
BUTTRESS LOCKED PLATE
(LEFT & RIGHT)



LOW PROFILE PROXIMAL
LATERAL TIBIA LOCKED
PLATE (LEFT & RIGHT)



PROXIMAL MEDIAL TIBIA
LOCKED PLATE (LEFT & RIGHT)



BALFOUR
RETRACTOR



T-BUTTRESS LOCKED
PLATE



CALCANEUS MESH
LOCKED PLATE



DISTAL MEDIAL TIBIA
LOCKED PLATE



DISTAL TIBIA ANATOMICAL
LOCKED PLATE (LEFT & RIGHT)



CALCANEUM LOCKED PLATE
(SMALL, MEDIUM, LARGE)



TIBIA DISTAL LOW BAND
LOCKED PLATE



EIGHT PLATE



FUSION CALCANEUM WITH
TIBIA LOCKING PLATE



PILON LOCKED PLATE



CLOVERLEAF LOCKED
PLATE

SURGICAL INSTRUMENTS

Model No: ZSE: A214



FORCEPS-(5''/6'')



**ADISON FORCEP
(TOOTH/PLAIN)**



**SCISSORS 4'', 5'', 6''
(SH/SH, SH, BL)**



**STITCH CUTTING
SCISSOR**



**BANDAGE
SCISSOR**



**EPISTOMY
SCISSOR**



**MAYO SCISSOR
6.5'', 8.5''**



**METEZUM
SCISSOR 6'', 7'', 8''**



**ARTERY FORCEPS 6'', 8''
NEEDLE HOLDER 6'', 8''**



**TOWEL CLAMP
(BACKAUS SPECIAL)**



**MOSQUITO FORCEP
4'', 5'', 6''**



**MAGIL FORCEP
6'', 8'', 10''**



**ALLIS TISSUE
6'', 8''**



**BABCOCK
FORCEP 6'', 8''**



**BALFOUR
RETRACTOR**



**S SHAPE &
ANAL DIALATOR**



**DOYEN
RETRACTOR**



**TUNING FORK &
EB CURRETE**



**BP HANDLE
NO.3/4**



**CUTTICLE
SCISSOR**



**GONIOMETER STEEL &
GONIOMETER PLASTIC**



**LANGENBACK
RETRACTOR**



**POST MORTEM
SET**



**BONE MARROW
NEEDLE**



**SELF
RETAINING**

SURGICAL INSTRUMENTS

Model No: ZSE: A214



HSG CANNULA



JAMSHEDI
NEEDLE



SUCTION TIPS




LIVER BIOPSY
NEEDLE



OVUM FORCEP



VAGINAL WALL RETRACTOR
& VAGINAL CURETTE



MOSTOID
RETRACTOR 8"



UTERINE SOUND &
EAR CURETTE



KOCHER
ARTERY 8"



GREEN ARMYTAGE
FORCEP 8"



WRINGLY
FORCEP



AURAL FORCEP



AURAL SPECULUM
(SET OF 3)



POZZI
RETRACTOR



BIOPSY FORCEP
(BLACKSLEY)



ENT SET (BLACK)
(SUPER DELUXE)
(BRASS)



HARTMANN NASAL
FORCEP



LORANGEAL
MIRROR



MICRO CROCODILE
SCISSOR/FORCEP



NASAL SPECULUM
(THUDIKAN)



NASAL SPECULUM
(KILLIAN)



TILLY FORCEP



SKIN GRAFTING
HANDLE



TONGUE
DEPRESSOR



TONGUE HOLDING
FORCEP

SURGICAL INSTRUMENTS

Model No: ZSE: A214



METAL SYRINGE



BONE CUTTER
7",8",9"



BONE NIBBLER
8",9"



BONE DRILL
MACHINE



BONE HOLDING
FORCEP



CHISEL
(S.S HANDLE)



CHISEL
(FIBRE HANDLE)



OESTEOTOMES
(S.S HANDLE)



OESTEOTOMES
(FIBRE HANDLE)



HOHMANN
RETRACTOR (PAIR)



PLAIT BENDER
(PAIR)



PERIOSTEAL
ELEVATOR



LUNG
RETRACTOR



AMPUTATION
SAW



BONE FILE AND
RASP



LANE BONE HOLDING
FORCEP 6"



LANE ELEVATOR



HUDSON
BRACE SET



PLASTER
SHEAR



PLASTER CUTTING
ANGLE



MALLET
350GM/500GM



RETRACTORS



GELPI
RETRACTOR



DEVER
RETRACTOR



CAT PAWS
RETRACTOR

LABORATORY PRODUCTS



STANDARD BLOOD BANK REFRIGERATOR

Description

Model No: ZSE: A215

- ▶ Interior of chamber is stainless steel (SS-304).
- ▶ Inner and outer chamber both are made of stainless steel (SS-304). Door, Panel, Base plate and top cover made of C.R.C. duly powder coated.
- ▶ Fitted with Specially designed deviation alarm from the preset temperature, door open alarm and power failure alarm.
- ▶ Stainless Steel Baskets are provided for storage inside.
- ▶ foamed-in place CFC Free PUF insulation ensure temperature stability and reduced energy temperature.
- ▶ Stainless steel heavy duty basket ensures even temperature distribution.

B.O.D INCUBATOR

Description

Model No: ZSE: A216

- ▶ Most suitable for experiments requiring low temperature conditions like .
- ▶ micro-organism or activation, cell culture process of animals and plants, good storage and desalting process of enzyme extracts etc.
- ▶ With a solid double walled door , a full view inner plexiglass door enables inspection and monitoring of inner chamber specimens without disturbing the process temperature.
- ▶ Excellent Quality magnetic gum packing door gasket for external door.
- ▶ User- oriented design of shelves makes you adjust each space of Shelves without difficulty.



Deepfreezer- 20°C to -40°C

Description

Model No: ZSE: A217

The Ultra-low temperature freezer offer a economical solution to wide variety of research and storage applications, such as low temperature Scientific experiments, preservation of red blood cell, white blood cell, skin, bone bacteria, semen, biomedical product, ocean product, electronic devices and low temperature testing of special materials. it is suitable for blood banks, hospitals, sanitation and anti-epidemic stations, stations industries, university laboratories, military industries, pelagic fishery companies.


X-RAY ILLUMINATOR

Model No: ZSE: A218

Led X-ray Viewer Box 45mm With Variable Dimmer

All the 4 sizes comes with dimmer (intensity Controller) and film sensor (Auto Switch) for each bank installed Separately, for example:


single films will have one dimmer and one sensor, two films will have two dimmer and two sensor, three films will have three dimmer and three sensor, four films will have four dimmer and four sensor.



SINGLE



DOUBLE



Led X-ray Viewer Box

Model No: ZSE: A219

Size: 17"X14" / 17"X28" / 17"X48" / 17"X56"

Film: Single, Double, Triple and Four Film,.

Input Voltage: 210-230V

Power Supply: 2/5 Amp

Frame: Aluminium Powder Coated




Double Film



Triple Film



Single Film



Four Film

GENERAL PRODUCTS



INFENTO METER PLASTIC

Model No: ZSE: A220

SIZE		
	18X5 (5MM)	
	18X7 (8MM)	



LARYNGOSCOPE (304 GRADE) WITH LED

Model No: ZSE: A221

SIZE		
	ADULT	
	CHILD	
	FOUR BLADE	



HOOD (ROUND)

Model No: ZSE: A222

SIZE		
	SMALL	
	MEDIUM	
	LARGE	



AMBU BAG

Model No: ZSE: A223

SIZE		
	Capacity	
	AMBU BAG (MAX-LIFE) ADULT	
	AMBU BAG (MAX-LIFE) CHILD	
	AMBU BAG (MAX-LIFE) NEO	

► All Dimension & volume are comparative.

BP MACHINE



BP 1210 WITH VOICE

Model No:
ZSE: A224



BP YP 620

Model No:
ZSE: A225



RKA 628

Model No:
ZSE: A226



BP DR VINCE

Model No:
ZSE: A227



DIAMOND BP MONITOR LCD

Model No:
ZSE: A228



DESKTOP BP MCP & BP CUFF

Model No:
ZSE: A229



BP MONITOR 1650

Model No:
ZSE: A230



DIAMOND 300

Model No:
ZSE: A231



DIAMOND DELUXE BP MONITOR MERCURY

Model No:
ZSE: A232



9M BP MONITOR MERCURY

Model No:
ZSE: A233

BATHROOM SCALES



TUBLER BABY SCALE

Model No:
ZSE: A234



HANGING BABY SCALE

Model No:
ZSE: A235



TS 500 WITH TRAY

Model No:
ZSE: A236



GOONJ BABY SCALE V 58

Model No:
ZSE: A237



STATURE METER

Model No:
ZSE: A238




BABY SCALE 1650

Model No:
ZSE: A239



CHILD & MOTHER WEIGHT SCALE

Model No:
ZSE: A240



BABY 3 IN 1 SCALE

Model No:
ZSE: A241



**BABY SCALE METAL 8210
BABY SCALE MANUAL**


Model No:
ZSE: A242



STADIO METER

Model No:
ZSE: A243

GENERAL SCALES



CYNOR 9388

Model No: ZSE: A244



CYNOR 2024

Model No: ZSE: A245



CYNOR 2015

Model No: ZSE: A246



PWM 2015

Model No: ZSE: A247



VIRGO 2018

Model No: ZSE: A248



CYNOR 9834

Model No: ZSE: A249



BMI 923 CAMRY

Model No: ZSE: A250



CAMRY 924

Model No: ZSE: A251



PWM WOODEN SCALE

Model No: ZSE: A252



CARMY 9015

Model No: ZSE: A253



CAMRY 2015

Model No: ZSE: A254



CAMRY 2017 & CAMRY 2020

Model No: ZSE: A255



DR VINCY 7009

Model No: ZSE: A256



PLASTIC SHOES COVER

Model No: ZSE: A257



FETAL DOPPLER

Model No: ZSE: A258



BREAST PUMP

Model No: ZSE: A259



PEN TORCH

Model No: ZSE: A260



AYER SPATULA

Model No: ZSE: A261



DIGITAL THERMOMETER

Model No: ZSE: A262



PLASTIC GLOVES

Model No: ZSE: A263



TONGUE DEPRESSOR NON STERILE

Model No: ZSE: A264



TONGUE DEPRESSOR STERILE

Model No: ZSE: A265



NEBULIZER CY 2

Model No: ZSE: A266



CARMY 7005

Model No: ZSE: A267



AIR BED

Model No: ZSE: A268

GENERAL SCALES



**VISION DRUM &
VISION CHART**

Model No: ZSE: A269



**OXYGEN MASK &
NEBULIZER MASK**

Model No: ZSE: A270



**SAFETY GLASS
(3M)**

Model No: ZSE: A271



**BREAST PUMP
MANUAL**

Model No: ZSE: A272



2003A 8MM

Model No: ZSE: A273



SURGICAL BLADE

Model No: ZSE: A274



**AXON HEARING
AID K-86**

Model No: ZSE: A275



**POWER TONE
HEARING AID F-138**

Model No: ZSE: A276



**AXON HEARING
AID F-18**

Model No: ZSE: A277



SPIROMETER

Model No: ZSE: A278



**AXON HEARING
AID F-16**

Model No: ZSE: A279



**DR ODIN
GLUCOSE METER**

Model No: ZSE: A280



HOT WATER BAG

Model No: ZSE: A281



**STETHOSCOPE &
KNEE HAMMER**

Model No: ZSE: A282



VIRGO 2012

Model No: ZSE: A283



STOPWATCH

Model No: ZSE: A284



**VINYL GLOVES
(100 PCS BOX)**

Model No: ZSE: A285



**KODAK X RAY FILM
(100 SHEETS)**

Model No: ZSE: A286



**BLOOD LANCETS
(100 PCS)**

Model No: ZSE: A287



CARMY 9705

Model No: ZSE: A288



**OVAL
THERMOMETER**

Model No: ZSE: A289



**PULSE
OXIMETER 1805**

Model No: ZSE: A290



ATOM AL 900

Model No: ZSE: A291



**BMI SCALE WITH
BLUETOOTH**

Model No: ZSE: A292

HOSPITAL UNIFORM



LAB COAT COTTON BLUE

Model No:
ZSE: A293



LAB COAT TERICOT WHITE

Model No:
ZSE: A294



NURSE COAT

Model No:
ZSE: A295



DOCTOR COAT

Model No:
ZSE: A296



ABS SIDE RAILING

Model No:
ZSE: A297



WRAP AROUND GOWN

Model No:
ZSE: A298

HOSPITAL UNIFORM



REINFORCED GOWN

Model No:
ZSE: A299



DOCTOR GOWN

Model No:
ZSE: A300



ISOLATION GOWN

Model No:
ZSE: A301



DISPOSABLE LAB COAT

Model No:
ZSE: A302



SURGEON'S GOWN

Model No:
ZSE: A303

SPECIALITIES WE COVER

NEURO &
BRAIN

SPINE

SURGICAL
ONCOLOGY

UROLOGY

ORGAN
TRANSPLANT

CARDIOLOGY

ORTHOPEDIC

NEPHROLOGY

GASTRO
ENTEROLOGY

CSSD

PEDIATRIC &
NEONATOLOGIST

COSMETIC &
PLASTIC SURGERY

OBESITY

OPHTHALMOLOGY

ENT
SURGERY

OUR CLIENTS



ZOHRA

SURGICAL ENTERPRISES

IN PURSUIT OF EXCELLENCE QUALITY

GET IN TOUCH

Landline

+91 11 4183 8217, +91 11 4904 0916, +91 11 4051 5448.

Email

zohrasurgicalenterprises@gmail.com

Contact No

+91 88004 34241, +91 89208 61088, +91 98102 45885
+91 81303 06001, +91 81302 39400

Website

www.maxlifezse.com
www.surgicalKart.in

Office Address

2/1933, Mohan Bazar, Argara Fountain, Bhagirath Place,
Chandni Chowk, Delhi-110006

Factory Address

M-62, M-63 Sector-5 DSIIIDC Industrial Area, Bawana,
Delhi-110039



GROUP OF COMPANIES



YOUR OWN **ONE STOP SOLUTION** FOR
ALL SURGICAL EQUIPMENT.